PHYTOPATHOLOGY

AN INTERNATIONAL JOURNAL

OFFICIAL ORGAN OF THE AMERICAN PHYTOPATHOLOGICAL SOCIETY

VOLUME XXXII
JANUARY–DECEMBER, 1942

EDITORS

H. B. HUMPHREY — ANNIE RATHBUN-GRAVATT — G. M. ARMSTRONG

EDITOR FOR EUROPE

H. M. QUANJER

ASSOCIATE EDITORS

A. J. ULLSTRUP	ALMA M. WATERMAN	GEORGE L. PELTIER
J. S. BOYCE	B. L. RICHARDS	C. O. JOHNSON
R. P. WHITE	T. C. VANTERPOOL	A. G. PLAKIDAS
C. W. BENNETT	S. P. DOOLITTLE	E. S. SCHULTZ

BUSINESS MANAGEMENT

H. A. EDSON — AGNES E. MEIER — KENNETH J. KADOW

THE AMERICAN PHYTOPATHOLOGICAL SOCIETY

OFFICERS

L. N. HUTCHINS, *President*
J. C. WALKER, *Vice-President*
C. C. ALLISON, *Secretary*
H. A. EDSON, *Treasurer*

COUNCILORS

H. A. RODENHISER	J. G. LEACH	J. G. HORSFALL
N. J. GIDDINGS	A. G. PLAKIDAS	F. L. HOWARD

PUBLISHED FOR THE SOCIETY
THE SCIENCE PRESS PRINTING COMPANY
LANCASTER, PENNSYLVANIA

PHYTOPATHOLOGY

AN INTERNATIONAL JOURNAL

OFFICIAL ORGAN OF THE AMERICAN PHYTOPATHOLOGICAL SOCIETY

VOLUME XXXII
JANUARY–DECEMBER, 1942

EDITORS

H. B. HUMPHREY — ANNIE RATHBUN-GRAVATT — G. M. ARMSTRONG

EDITOR FOR EUROPE

H. M. QUANJER

ASSOCIATE EDITORS

A. J. ULLSTRUP	ALMA M. WATERMAN	GEORGE L. PELTIER
J. S. BOYCE	B. L. RICHARDS	C. O. JOHNSON
R. P. WHITE	T. C. VANTERPOOL	A. G. PLAKIDAS
C. W. BENNETT	S. P. DOOLITTLE	E. S. SCHULTZ

BUSINESS MANAGEMENT

H. A. EDSON — AGNES E. MEIER — KENNETH J. KADOW

THE AMERICAN PHYTOPATHOLOGICAL SOCIETY

OFFICERS

L. N. HUTCHINS, *President*
J. C. WALKER, *Vice-President*
C. C. ALLISON, *Secretary*
H. A. EDSON, *Treasurer*

COUNCILORS

H. A. RODENHISER	J. G. LEACH	J. G. HORSFALL
N. J. GIDDINGS	A. G. PLAKIDAS	F. L. HOWARD

PUBLISHED FOR THE SOCIETY
THE SCIENCE PRESS PRINTING COMPANY
LANCASTER, PENNSYLVANIA

Science Lib.
Wash

CONTENTS OF VOLUME 32, 1942

NO. 1. JANUARY

Abstracts of papers accepted for presentation at the thirty-third annual meeting of The American Phytopathological Society, Dallas, Texas, December 29, 1941 to January 1, 1942 1
The effect of certain chemicals, some of which produce chromosome doubling, on plant tumors. NELLIE A. BROWN 25
Eyespot of Napier grass in Hawaii, caused by Helminthosporium sacchari. G. K. PARRIS 46
Reaction of pea varieties to Septoria pisi. W. J. ZAUMEYER 64
Angular leaf spot of muscadines, caused by Mycosphaerella angulata n. sp. WILBERT A. JENKINS 71
Wind dissemination of angular leaf spot of cotton. J. G. BROWN 81
Phytopathological Notes 91
A Xylaria pathogenic to Ginkgo biloba L. seeds. SPENCER H. DAVIS, JR., AND JOHN B. HARRY
A virosis-like injury of snapdragon caused by feeding of the peach aphid. KENNETH F. BAKER AND C. M. TOMPKINS
Technique for artificially feeding Scolytus multistriatus and Saperda tridentata spores of Ceratostomella ulmi and other substances. W. D. BUCHANAN AND CURTIS MAY
Aecidium gossypii, the aecial stage of Puccinia boutelouae. JOHN T. PRESLEY
Transmission of chlorotic streak of sugar cane by the leaf hopper Draeculacephala portola. E. V. ABBOTT AND J. W. INGRAM
Susceptibility of Lee × Victoria oat selections to loose smut. GEORGE M. REED AND T. R. STANTON

NO. 2. FEBRUARY

The complex nature of white-clover mosaic. FOLKE JOHNSON 103
New physiologic races of Tilletia tritici and T. levis. C. S. HOLTON AND H. A. RODENHISER 117
Physiological studies on two species of Diplodia parasitic on corn. WILLIAM E. WILSON 130
Three bacterial plant pathogens: Phytomonas caryophylli sp. n., Phytomonas alliicola sp. n., and Phytomonas manihotis (Arthaud-Berthet et Bondar) Viegas. WALTER H. BURKHOLDER 141
Leaf-spot disease of cultivated salsify. M. B. LINN 150
Variability in reaction of wheat differential varieties of physiologic races of Tilletia levis and T. tritici. H. A. RODENHISER AND C. S. HOLTON 158
A laboratory apparatus for studying settling rate and fractionation of dusts. JOHN W. HEUBERGER AND NEELY TURNER 166
Cephalosporium leaf spot of Dieffenbachia. M. B. LINN 172
Relation of tube layers to age in sporophores of Fomes ignarius on aspen. RAY R. HIRT AND HENRY HOPP 176
Phytopathological Notes 179
Ring spot of apricot. E. W. BODINE AND W. A. KREUTZER
Wilt resistance in F_1 hybrid watermelons. AARON WELCH AND I. E. MELHUS
The effect of chemicals on Fusarium oxysporum cubense growing in the soil. CLIFFORD H. MEREDITH
Book Reviews 185

NO. 3. MARCH

Mortality of the red scale on citrus through infection with a spore-forming bacterium. V. P. SOKOLOFF AND L. J. KLOTZ 187
Prestorage disinfection of narcissus bulbs. FREEMAN WEISS, FRANK A. HAASIS, AND C. E. WILLIAMSON 199
The conidial phase of Sclerospora noblei. WILLIAM H. WESTON, JR. 206
Varietal resistance to blossom-end rot in tomatoes. P. A. YOUNG 214
Host range and growth-temperature relations of Coryneum beijerinckii. CLAYTON O. SMITH AND DONALD J. SMITH 221
Measuring magnitude of a defoliation disease of tomatoes. JAMES G. HORSFALL AND JOHN W. HEUBERGER 226

Isolation and infection tests with seed- and soil-borne cotton pathogens. W. W. RAY AND J. H. MCLAUCHLIN 233
A physiological study of the susceptibility of the blushed and green sides of apples to certain fungus rots. LIN KUNG-HSIANG 239
Physiological resistance to halo blight in beans. J. H. JENSEN AND R. W. GOSS 246
The efficacy of certain nematocides in the control of onion bloat in muck soil. B. G. CHITWOOD AND A. G. NEWHALL 254
Ascochyta majalis identified on lily of the valley in the United States. ANNA E. JENKINS 259
Bacterial wilt of dent corn inbreds. CHARLOTTE ELLIOTT 262

NO. 4. APRIL

Lee Ellis Miles. DAVID C. NEAL 267
Difference in pH relations of some pathogenically variable strains of tomato Fusarium. FREDERICK L. WELLMAN 271
The effect of tobacco mosaic virus on cellular respiration. MARK W. WOODS AND H. G. DUBUY 288
A bacterial necrosis of the giant cactus. PAUL C. LIGHTLE, ELIZABETH T. STANDRING, AND J. G. BROWN 303
Phytophthora parasitica on papaya (Carica papaya) in Hawaii. G. K. PARRIS 314
The effect of temperature on symptom expression of a rose mosaic. KENNETH F. BAKER AND H. EARL THOMAS 321
Phytopathological Notes 327
Pythium arrhenomanes on cereals and grasses in the Northern Great Plains. T. C. VANTERPOOL AND RODERICK SPRAGUE
Savoy disease of sugar beets in Southwestern Ontario. A. A. HILDEBRAND AND L. W. KOCH
A convenient scale for use in the rapid determination of comparative degrees of infection of hops by the downy mildew fungus, Pseudoperonospora humuli. G. R. HOERNER
The rasp leaf of cherry. E. W. BODINE AND J. H. NEWTON
The ascogenous stage of the peach constriction-disease pathogen. JOHN W. ROBERTS
Poinsettia scab discovered in Honolulu. ANNA E. JENKINS
Mosaic of Bromus inermis. H. H. MCKINNEY, H. FELLOWS, AND C. O. JOHNSTON
Report of the thirty-third annual meeting of The American Phytopathological Society 338

NO. 5. MAY

Otis Chester Whipple. J. C. WALKER 355
Heterothallism and variability in Venturia pirina. M. H. LANGFORD AND G. W. KEITT 357
Reduction in fungicidal value of copper compounds by organic materials. JOHN W. HEUBERGER AND JAMES G. HORSFALL 370
Relation of moisture to invasion of tobacco leaves by Bacterium tabacum and Bacterium angulatum. STEPHEN DIACHUN, W. D. VALLEAU, AND E. M. JOHNSON 379
Relation of particle size to fungicidal value and tenacity of two "insoluble" copper fungicides. R. A. HYRE 388
Temperature as it affects spore germination in the presence of copper and sulphur. W. D. MCCLELLAN 394
Some factors affecting the infection of tomato seedlings by Alternaria solani. W. D. MOORE 399
Phytophthora crown rot of loquat. P. A. MILLER 404
The successful transmission of psorosis of citrus trees in Florida by bark grafting. ARTHUR S. RHOADS 410
Phlox resistant to powdery mildew. E. B. MAINS 414
Use of eradicant sprays for the control of asparagus rust. H. W. ANDERSON, H. H. THORNBERRY, AND J. P. FULTON 419
An Elsinoë causing an anthracnose of Virginia creeper. ANNA E. JENKINS AND A. A. BITANCOURT 424
Rough-bark, a virus disease of flowering cherry. J. A. MILBRATH AND S. M. ZELLER 428
Male-sterile barley for study of floral infection. C. A. SUNESON AND B. R. HOUSTON 431
Phytopathological Notes 433
A chemical method for the determination of tobacco-mosaic-virus protein in plant extracts. CLAUDE H. HILLS AND H. H. MCKINNEY
Transmissible rough-bark diseases of fruit trees. H. EARL THOMAS

Two genetic characters of tomato fruits that might be mistaken for symptoms of disease. P. A. YOUNG
Downy mildew of Lima beans in Colorado. L. L. HARTER AND W. J. ZAUMEYER
A new virus disease of bean. W. J. ZAUMEYER AND L. L. HARTER
Classification and nomenclature of the pathogen causing bacterial ring rot of potatoes. J. B. SKAPTASON AND W. H. BURKHOLDER
Scolytus sulcatus and apple trees in relation to the Dutch elm disease control program. S. J. SMUCKER
Book Review 443
Notices 444

NO. 6. JUNE

Ormond Rourke Butler. I. E. MELHUS 447
The inheritance of resistance to Ustilago nuda. J. E. LIVINGSTON 451
A method for the culture of seedlings and small plants in sunlight under controlled temperature conditions. J. A. PINCKARD AND LUBEN SPASOFF BOZOVAISKY 467
Control of seedling diseases of sugar beets in Montana. M. M. AFNASIEV AND H. E. MORRIS 477
Notes on Clitocybe root rot of bananas and other plants in Florida. ARTHUR S. RHOADS 487
The fungicidal and phytocidal properties of some copper xanthates. M. C. GOLDSWORTHY, R. H. CARTER, AND E. L. GREEN 497
The mechanism of spore dispersal in Peronospora tabacina and certain other downy mildew fungi. J. A. PINCKARD 505
Cold injury of flue-cured tobacco seedlings. J. A. PINCKARD AND LUBEN SPASOFF BOZOVAISKY 512
A seed-borne mosaic of asparagus bean, Vigna sesquipedalis. W. C. SNYDER 518
Injury to tomato seed in disinfection. J. H. MILLER AND RAYMOND GROGAN 524
Growing new root systems by soil banking—a promising method of rejuvenating trees attacked by root diseases. ARTHUR S. RHOADS 529
Mosaic of celery caused by the virus of alfalfa mosaic. WILLIAM C. SNYDER AND SAUL RICH 537
Phytopathological Notes 540
The perfect stage of Phomopsis vexans. L. O. GRATZ
Influence of temperature on the expression of big-vein symptoms in lettuce. ROSS C. THOMPSON AND S. P. DOOLITTLE
Sorghastrum, host of an undescribed smut. A. B. MASSEY AND GEORGE L. ZUNDEL
A method of mounting cultures of fungi for preservation in the herbarium. M. B. LINN

NO. 7. JULY

Ivan Claude Jagger. DONALD REDDICK 549
The relative effect of environmental and genetic factors on growth types of Ustilago zeae. M. F. KERNKAMP 554
Coacervates in physical and biological systems. J. DUFRENOY AND H. S. REED 568
The transient feeding of root-knot nematode larvae. M. B. LINFORD 580
Studies on black stem of alfalfa caused by Ascochyta imperfecta. MAURICE L. PETERSON AND L. E. MELCHERS 590
Lipolytic activity of phytopathogenic bacteria determined by means of spirit blue agar, and its taxonomic significance. MORTIMER P. STARR AND WALTER H. BURKHOLDER 598
The broad ring-spot virus. JAMES JOHNSON AND ROBERT W. FULTON 605
The genus Cerebella cesati—its biologic status and use. R. F. LANGDON 613
A quantitative method for assay of tobacco-mosaic virus protein. VERNON L. FRAMPTON 618
A method of growing plants in water vapor to facilitate examination of roots. WALTER CARTER 623
Chloropicrin and ethylene dichloride for root-knot nematode control. A. G. NEWHALL AND F. L. STARR, JR. 626
Strawberry leaf roll, a new disease. G. H. BERKELEY AND A. G. PLAKIDAS 631
Phytopathological Notes 634
Banded chlorosis, a transmissible disease of cherry. S. M. ZELLER AND J. A. MILBRAITH
Apothecia of Sclerotinia fructicola on peach in western Washington. GLENN A. HUBER AND KARL BAUR
A simple technique for aseptic handling of media. J. ARTHUR HERRICK
A nonpathogenic buff-colored barley smut. WAYNE M. BEVER

Heterocaryosis and variability. H. N. HANSEN
On the cause of the milo disease. L. E. MELCHERS
Rhizoctonia infection of cotton and symptoms accompanying the disease in plants beyond the seedling stage. DAVID C. NEAL
Olive anthracnose in the United States. RAFAEL E. PONTIS AND H. N. HANSEN
Mycological nomenclature. G. R. BISBY
Book Reviews 646
Report of the 1942 annual meeting of the Southern Division of The American Phytopathological Society 647

NO. 8. AUGUST

Inheritance of pathogenicity in Melampsora lini. H. H. FLOR 653
Studies on the pathogenicity of Fusarium species associated with root rot of wheat. C. L. JOHNSTON AND F. J. GREANEY 670
Cross inoculations with isolates of Fusaria from cotton, tobacco, and certain other plants subject to wilt. G. M. ARMSTRONG, B. S. HAWKINS, AND C. C. BENNETT 685
The effect of light and temperature on the viability of urediospores of certain cereal rusts. LIANG HWANG 699
Indexing cherry yellows on peach. E. M. HILDEBRAND 712
An unusually virulent race of wheat stem rust, No. 189. G. GARCIA-RADA, J. VALLEGA, W. Q. LOEGERING, AND E. C. STAKMAN 720
A stem-end rot of potato tubers caused by Rhizoctonia solani. F. S. THATCHER 727
Further studies on the temperature relations of sclerotial isolates of Rhizoctonia solani from potatoes. E. L. LECLERG, L. H. PERSON, AND S. B. MEADOWS 731
Preliminary investigations on mechanical injury in flax seed. J. E. MACHACEK AND A. M. BROWN 733
Phytopathological Notes 735
A blue-staining fungus inhabiting the heartwood of certain species of conifers. C. M. CHRISTENSEN AND F. H. KAUFERT
Cercosporella eyespot of Kentucky bluegrass. RODERICK SPRAGUE
Some pathogenic fungi occurring in the seed of red and subterranean clover. ST. JOHN P. CHILTON

NO. 9. SEPTEMBER

Prune dwarf. E. M. HILDEBRAND 741
A root rot of cotton caused by Thielaviopsis basicola. C. J. KING AND J. T. PRESLEY 752
Gall formation by Phytomonas tumefaciens extract and indole-3-acetic acid in cultures of tomato roots. B. A. FRIEDMAN AND THOMAS FRANCIS, JR. 762
Resistance to mosaic virus in the cucumber. OVED SHIFRISS, C. H. MYERS, AND CHARLES CHUPP 773
Experimental autoecism and other biological studies of a gall-forming Peridermium on northern hard pines. MALCOLM A. MCKENZIE 785
The spread of virus diseases of the yellows type under field conditions. VERNON L. FRAMPTON, M. B. LINN, AND E. D. HANSING 799
Claviceps yanagawaensis in imported seed of Japanese lawn grass. C. L. LEFEBVRE 809
Resistance of certain potato varieties and seedling progenies to ring rot. REINER BONDE, F. J. STEVENSON, C. F. CLARK, AND ROBERT V. AKELEY 813
A study of spreaders for use on hops in the field control of downy mildew. G. R. HOERNER 820
Method of obtaining pure cultures of Corticium stevensii from sclerotia. E. C. TIMS AND FRANCES BONNER 824
Report of the twenty-sixth annual meeting of the Pacific Division of The American Phytopathological Society 826
The War Emergency Committee of The American Phytopathological Society 831

NO. 10. OCTOBER

Joseph Charles Arthur. FRANK D. KERN 833
A toximetric study of some eradicant fungicides. J. B. CARPENTER 845
The effect of mosaic virus infection on the protein content of susceptible and resistant strains of tobacco. CLAUDE H. HILLS AND H. H. MCKINNEY 857
The downy mildew disease of oats, caused by Sclerospora macrospora. L. E. MILES AND JAMES M. EPPS 867
A comparison of Diplodia natalensis from stained wood and other sources. A. F. VERRALL 879
The influence of vitamin B_1 on the development of cantaloupe powdery mildew. DEAN E. PRYOR 885

Moldy core of apples in Wisconsin. J. B. CARPENTER 896
A new strain of the tomato leaf mold fungus (Cladosporium fulvum). L. J. ALEXANDER 901
Defoliation of American holly cuttings by Rhizoctonia. J. S. COOLEY 905
Relative concentrations of two strains of curly-top virus in tissues of susceptible and resistant beans. C. F. LACKEY 910
Phytopathological Note 913
Susceptibility of Solanum species to Fusarium solani var. eumartii. R. W. GOSS AND J. H. JENSEN
Book Reviews 914
The War Emergency Committee of The American Phytopathological Society 917

NO. 11. NOVEMBER

The germination of fungous spores in relation to controlled humidity. C. N. CLAYTON 921
The value of Spergon as a seed protectant for canning peas. E. G. SHARVELLE, H. C. YOUNG, JR., AND B. F. SHEMA 944
The adherence of fixed copper fungicides as influenced by spray supplements. A. A. NIKITIN AND E. G. ANDERSON 953
Potato-scab gardens in the United States. F. J. STEVENSON, L. A. SCHAAL, C. F. CLARK, ROBERT V. AKELEY, AND COOPERATORS 965
Effect of environment on the prevalence of soil-borne Rhizoctonia. O. H. ELMER 972
Control of fungi in mushroom casing soil by sterilization with chloropicrin. ALBERT M. KLIGMAN 978
A strain of tobacco-mosaic virus causing a necrosis and shriveling of tomato foliage. S. P. DOOLITTLE AND F. S. BEECHER 986
The reaction of cantaloupe strains to powdery mildew. DEAN E. PRYOR AND THOMAS W. WHITAKER 995
Crown galls on species of Taxaceae, Taxodiaceae, and Pinaceae, as determined by artificial inoculations. CLAYTON O. SMITH 1005
Fusarium yellows of beans. JAMES B. KENDRICK AND WILLIAM C. SNYDER 1010
Effective methods of inoculating seed barley with covered smut (Ustilago hordei). V. F. TAPKE AND W. M. BEVER 1015
Control of the common mosaic disease of tobacco by breeding. W. D. VALLEAU 1022
The composition and field performance of some silver sprays. L. W. NIELSEN AND C. E. WILLIAMSON 1026
Fusarium wilt of radish. JAMES B. KENDRICK AND WILLIAM C. SNYDER 1031
Phytopathological Note 1034
Chloropicrin as a disinfectant for plant beds. R. W. LEUKEL

NO. 12. DECEMBER

A ring-spot type of virus disease of tomato. R. W. SAMSON AND E. P. IMLE 1037
Relative resistance of alfalfa species and varieties to rust caused by Uromyces striatus. J. M. KOEPPER 1048
Quantitative measurement of a strain of tobacco-etch virus. FRANCIS O. HOLMES 1058
Blueberry cane canker. J. B. DEMAREE AND MARGUERITE S. WILCOX 1068
Phytomonas poinsettiae n. sp., the cause of a bacterial disease of poinsettia. MORTIMER P. STARR AND P. P. PIRONE 1076
Boron deficiency in pear trees. J. R. KIENHOLZ 1082
Variation in reaction of Anthony oats to stem rust, Puccinia graminis avenae. IAN W. TERVET AND HELEN HART 1087
Phytopathological Notes 1091
New fungicides and reduced fungicide dosages for the control of kernel smut of sorghum. R. W. LEUKEL
Epichloe typhina on imported fescue seed. C. C. WERNHAM
An apple rot fungus morphologically related to a human pathogen. L. P. MCCOLLOCH
Willow blight in West Virginia. JOSEPH A. RUPERT AND J. G. LEACH
Longevity of the spores of the wood-destroying hymenomycetes. CHARLES H. HARRISON
Book Reviews 1098
Index i

INDEX FOR VOLUME 32

New species in **blackface type**
Joint authorship indicated by pages in "( )"
Species index of bacteria included
AUTHOR AND SUBJECT INDEX

Prepared by Frederick V. Rand, Office of Experiment Stations, U. S. Department of Agriculture

ABBOTT, E. V., 99
Abies spp., crown gall (exp.) on, 1005
Acalypha virginica, tobacco broad ring spot (exp.) in, 609
Acenapththene, effect on plant tumors, 26
Actinomyces scabies, potato varietal reactions to, 965
Aecidium gossypii, as stage of Puccinia boutelouae, 97
Aegilops triuncialis, Pythium arrhenomanes on, 327
Aerobacter, corn stalk rot organism related, 18
AFANASIEV, M. M., 477
Agropyron spp., flag smuts on, 4
  Pythium arrhenomanes on, 327
  cristatum, seedling blight, fungi associated, 2
  trachycaulum, head smut on, control dusts, 5
Air dissemination, cotton angular leaf spot by wind-borne dust, 81
AKELEY, ROBERT V., 32: (813), (965)
Albizzia julibrissin, Fusarium wilt, cross inoculations, 20
Alcaligenes spp., phytopathogenic forms, lipolytic activities, taxonomic significance, 602
ALEXANDER, L. J., 902
Alfalfa, Ascochyta black stem, distribution, hosts and general study, 590
  resistance to, 1056
  mosaic virus, celery infection by, 537
  root knot nematode populations under, in Calif., 650
  rust resistance of spp. and vars. to, 1048
ALLEN, MERLIN W., (650)
alliicola (Phytomonas), 146
ALLINGTON, W. B., 1
Alternaria spp., apple moldy core associated, 899
  on cotton, dissemination, isolation and infection tests, 237
  solani, on tomato, factors influencing seedling infection, 399
    rapid method of measuring infection, 226
Amaranthus spp., tomato ring-spot (exp.) on, 1041
  retroflexus, tobacco broad ring spot (exp.) on, 609
AMERICAN PHYTOPATHOLOGICAL SOCIETY, annual meeting report (1941), 338
  War Emergency Committee, objectives and report, 917
AMERICAN SOCIETY OF AGRONOMY, hunger signs in crops by, book review, 443
Ammonia, chemotherapy of plant diseases by, 22
Ammophila arenaria, Pythium arrhenomanes on, 327
ANDERSON, E. G., (953)
ANDERSON, H. W., 419
ANDREWS, STUART R., 20, (21)
Androcera rostrata, tomato ring spot (exp.) on, 1041
Andropogon australis (see Sorghum plumosum)
angulatum (Bacterium), 1, 2, 379
Annona spp., Clitocybe root rot, 494
Anthracnose, myrtaceous hosts, 1
  olive-, 642
  raspberry-, 3
  Virginia creeper Elsinoë, 424
Antirrhinum spp., virosis-like injury, peach aphid causing, 93
  majus, pea mottle (exp.) on, 107
    tobacco broad ring spot (exp.) on, 610
Aonidiella aurantii, on citrus, control by sporiferous bacterium, 187
Aphanomyces euteiches, pea root rot due to, seed treatment for, 952
Aphid(s), green plum-, plum dwarf virus transmitted (?) by, 742
  peach-, virosis-like injury to snapdragon due to, 93
  as vectors of: asparagus bean mosaic, 518
    celery mosaic, 537
Apiole, effect on plant tumors, 26
Apple, bitter rot, control by copper xanthates, 498
  Ceratostomella ulmi on, pathogenicity and longevity, 441
  Clitocybe root rot, 493
  copper xanthates non-injurious to, 501
  fungus rots, susceptibility of blushed vs. green sides, physiology of, 239
  moldy core, etiology and factors influencing, 897
  Phialophora fruit rot, morphological relation to human pathogens, 1094
  Phytophthora cactorum infection (exp.), 407
  russet, copper xanthates for, 503
  scab, copper xanthates for, 503
    eradicant fungicidal effects on, 853
Apricot, Clitocybe root rot, 493
  ring spot, virus etiology, 179
Arborvitae, eastern- (see Thuja occidentalis)
Arceuthobium spp., of western conifers, behavior, 21
ARK, P. A., 826

ARMSTRONG, G. M., 20, 685
ARNDT, C. H., (648)
ARNY, D. C., 21
Arrhenatherum elatius, Pythium arrhenomanes on, 328
Arthur, Joseph Charles, biographical sketch and bibliography, 833
portrait, 834
Ascochyta imperfecta, alfalfa black stem due to, distribution, hosts and general study, 590
alfalfa resistant to, 1056
majalis, lily-of-the-valley leaf spot due to, first U. S. A. record, 259
Asparagus, rust, eradicant spray trials for, 419
Aspen, quaking- (see Populus tremuloides)
Aspergillus spp., on cotton, dissemination, isolation and infection tests, 237
Aster, yellows, field spread, differential equation for, 799, 803
ATKINSON, R. E., (17)
Attenuation, of Phymatotrichum omnivorum, 4
Autoecism, in Peridermium (exp.), 785
Avena spp., Pythium arrhenomanes on, 328

Bacillus (see also Erwinia)
"C," citrus red scale control by, 187
Bacteria, leaf invasion by, moisture effects, 379
phytopathogenic, classification, 18
lipolytic activities, determination and taxonomic significance, 598
Bacterium (see also Phytomonas; Pseudomonas; Xanthomonas)
angulatum, overwintering in tobacco-field soil, 2
in tobacco, moisture effects on leaf invasion, 379
K–deficiency effects on, 1
malvacearum, on cotton, as influenced by seed treatments, 651
stewarti (see stewarti)
tabacum, in tobacco, moisture effects on leaf invasion, 379
K–deficiency effects on, 1
tumefaciens, crown gall as influenced by chromosome-doubling chemicals, 35
BAIN, D. C., 1
BAKER, KENNETH F., 93, 321
BAMBERG, R. H., 646
Banana, Clitocybe root rot, general study, 487
Panama disease fungus as influenced by chemicals in soil, 182
Banded chlorosis, of cherry, new virus disease, 634
Bark beetles, feeding technique for disease transmission studies, 95
Barley (see also Hordeum)
covered smut, inoculation methods, 1015
loose smut, resistance inheritance, 451
male sterile–, for study of floral infections, 431
Pythium arrhenomanes on, 328
smut, Ustilago hordei × U. nigra, sex and pathogenicity inheritance in, 637
stripe, inoculation method, 21
varietal reactions to, test method, 21
BAUR, KARL, (635)
Bean, asparagus-, mosaic, aphid and seed transmission and general study, 518
asparagus-bean mosaic transmitted to, 521
bacterial halo blight, physiological resistance, 246
copper xanthates non-injurious to, 501
Fusarium yellows (new), general study, 1010
Lima-, downy mildew in Colo., 436
metallic alkyl-dithiocarbamates as fungicides for, 6
mosaic virus-4 (new) in, 438
powdery mildew, breeding for resistance, 828
copper spray effects on, and factors influencing, 19
peritheeia, Microsphaera affinity, 828
Rizoctonia web blight of, 24
rust, breeding for resistance, 828
fungicide effects on, and factors influencing, 19
tobacco broad ring spot (exp.) on, 609
tobacco mosaic (tomato strain) on, 989
BEECHER, F. S., (986)
BENNETT, C. C., (20), (685)
Benzoic acid, in chemotherapy of Dutch elm disease, 20
BERKELEY, G. H., 631
BEVER, WAYNE M., 637, (1015)
Big-vein, lettuce–, symptom expression as influenced by temp., 542
Biographies and necrologies, Arthur, Joseph Charles, 833
Butler, Ormund Rourke, 447
Jaggar, Ivan Claude, 549
McLean, Robert Redpath, 351
Miles, Lee Ellis, 267, 352
Whipple, Otis Chester, 353, 355
BIOLOGICAL ABSTRACTS, committee report on, 344
Biological control of: Fusarium, 680
red scale on citrus by sporiferous bacterium, 187
Biological systems, coacervates in physical systems and, 568
Biometry, methodology, book review, 185
Biotin, Diplodia zeae producing, 137
BISBY, G. R., 644
BITANCOURT, A. A., 1, (424), (828)
Black end, pear-, 1085
Black fire, tobacco bacterial-, 1, 2
Black stem, alfalfa Ascochyta, 590, 1056
Blight, bean bacterial halo-, 246
celery Septoria, 1027
conifer seedling Diplodia, 16
Corticium thread-, 17
crested wheatgrass seedling-, fungi associated, 2
fig Corticium, 24
juniper Phomopsis nursery-, 19
potato late-, 1028
Pythium cereal and grass, 17
Rhizoctonia web-, hosts and comparisons, 24
tomato Alternaria, 16, 226
willow-, fungi associated in W. Va., 1095
Bloat, onion nematode-, 254

Blossom-end rot, tomato-, varietal resistance, 214
Blueberry, Physalospora cane canker (new), 1068
varietal reactions, 1070
Bluegrass, Kentucky- (see Poa pratensis)
Blue stain, white cedar–, fungus (unidentified)-induced, 735
BODINE, E. W., 1, 179, 333
BONDE, REINER, 813
BONNER, FRANCES, (824)
Books, reviews (see under Reviews)
Boron deficiency, in pear trees, 1082
in sunflower, vacuolar inclusions in, 578
Botanical nomenclature, International Rules, amendments proposed for fungi, 644
Botany, history of broad field of, book review, 916
Botrytis tulipae, control by silver sprays, 1028
Bouteloua spp., Puccinia on, aecial stage, 97
Pythium on, 327
BOZOVAISKY, LUBEN SPASOFF, (467), (512)
Brachypodium sylvaticum, Pythium arrhenomanes on, 327
Brassica spp., tobacco broad ring spot (exp.) on, 609
Breeding, beans, for powdery mildew resistance, 828
for rust resistance, 828
corn, for Diplodia resistance, 16
for disease resistance, periodic reselection needed, 1090
oats, for crown rust resistance, 19
for disease resistance, 100
peach, for virus resistance, 827
plant-, book review, 915
potato, for scab resistance, 965
tobacco, for black root rot resistance, 647
for mosaic control, 1022
Broad ring spot, tobacco virus (new), 605
Bromus spp., head smut on, control by dusts, 5
Pythium arrhenomanes on, 327
inermis, yellow mosaic (new) on, 331
BROWN, A. M., (733)
BROWN, J. G., 2, 21, 81, (303)
BROWN, NELLIE A., 25
Bryophyllum pinnatum, tumors on, as influenced by chromosome-doubling chemicals, 44
BUCHANAN, W. D., 95
BUCHHOLTZ, W. F., 2
Buckwheat, tobacco broad ring spot (exp.) on, 610
Bulbs, narcissus-, prestorage disinfection, 199
Bunt, wheat-, 117, 158
book review, 646
BURKHOLDER, WALTER H., 141, (439), (598)
BUROS, OSCAR KRISEN, 185
Bursa bursa-pastoris, tobacco broad ring spot (exp.) on, 609
Butler, Ormund Rourke, biographical sketch and bibliography, 447
portrait, 448
"C" (Bacillus), citrus red scale control by, 187
Cabbage, club root, host reactions vs. nutrients, 18
systemic invasion, 18
Peronospora parasitica producing oospores in seedlings, 648
Cactus, giant–, bacterial necrosis (new), 21, 303
Calcium cyanamid, soil sterilization by, 647
Calendra parvula, as vector of root and stem rots of cereals and grasses, 22
Callendula officinalis, tobacco broad ring spot (exp.) on, 609
Callistephus chinensis, tobacco broad ring spot (exp.) on, 609
Canker, blueberry Physalospora cane-, 1068
maple bleeding-, 21
Napier grass Helminthosporium stem-, 46
papaya Phytophthora stem-, 314
sugar beet Rhizoctonia dry rot-, 731
tomato Alternaria stem-, 399
Cantaloupe, powdery mildew, development as influenced by vitamin B_1, 14, 886
reactions of strains to, 995
resistance assay method, 1003
Canvallaria majalis, Ascochyta majalis leaf spot, first U.S.A. record, 259
Kabatiella microsticta on, 261
Capsicum frutescens, tobacco mosaic (tomato strain) on, 987
tomato ring spot (exp.) on, 1041
Captex, sorghum kernel smut control by, 1091
Carbon bisulphide, as soil fumigant, 22
Carica papaya, Phytophthora parasitica fruit rot and stem canker, 314
Carnation, bacterial wilt (new), 141
Carnegiea gigantea, bacterial necrosis (new), 21, 303
carnegieana (Erwinia), 310
CAROSELLI, N. E., 21
carotae (Phytomonas), 826
CARPENTER, J. B., 846, 897
CARTER, R. H., (497)
CARTER, WALTER, 623
caryophylli (Phytomonas), 143
Cassava, bacterial wilt, 146
Cassia tora, Fusarium wilt, cross inoculations, 20, 686
Casuarina spp., rejuvenation of root-rotted, by soil-banking method, 532
CATION, DONALD, 2, (15)
Ceeropia palmata, Clitocybe root rot, 493
Cedar, white- (see Thuja occidentalis)
Celery, late blight, control by silver sprays, 1027
mosaic, alfalfa mosaic virus causing, and aphid transmission, 537
tobacco broad ring spot (exp.) on, 610
Cells, cytoplasm of plant-, book review, 646
respiration as influenced by tobacco mosaic virus, 288
Cephalosporium **dieffenbachiae** n. sp., Dieffenbachia leaf spot due to, 174
infection via mealybug feeding injuries, 173

Ceratostomella ulmi, on apple, pathogenicity and longevity, 441
on elm, chemotherapy, 20, 22
toxin formation by, 20
spores, feeding bark beetles on, technique, 95
transmission by Scolytus sulcatus, 441
Cercospora spp., non-sporulating variants, 16
brachypus, perfect stage, 73, 77
zebrina, on red clover seed, 738
Cercosporella poagena, Kentucky bluegrass eyespot due to, 737
Cereals, Pythium arrhenomanes on grasses and, cross inoculations, 17
distribution and damage, 327
root and stem rots, weevil role in, 22
rusts, urediospore viability, factors influencing, 699
Sclerospora macrospora host-, 869
seed treatments, committee report on, 345
Cerebella, biologic status and use of genus, 613
Chaetomium spp., on cotton, dissemination, isolation and infection tests, 237
Chambers, temp.-controlled, for small-plant culture in sunlight, 467
Chemicals, chromosome-doubling-, effect on plant tumors, 25
Chemotherapy of: Dutch elm disease, 20, 22
maple bleeding canker, 21
peach X-disease, 17
plant diseases, 22
Chenopodium album, tobacco broad ring spot (exp.) on, 609
Cherry, banded chlorosis, new virus disease, 634
flowering-, rough bark virus (new) of, 428
leaf rasp virus (new) of, 333
peach necrotic spot transmitted from symptomless, 2
sour-, yellows in, cross budding to peach, 15
yellows, indexing on peach, 712
CHESTER, K. STARR, 21, 1098
CHILTON, ST. JOHN P., (649), 738
CHITWOOD, B. G., 254
Chlorophyll, mosaic effects on, 858
Chloropicrin, as disinfectant for plant beds, 1034
fungus control in mushroom casing soil by, 978
in oats Pythium root parasite control, 19
for onion bloat in muck soils, 257
root knot control by, 626
as soil fumigant, 22
Chlorosis, banded cherry–, new virus disease, 634
Chlorotic streak, sugar cane-, transmission by leaf hoppers, 99
vacuolar inclusions in, 3
CHRISTENSEN, C. M., 735
CHRISTENSEN, J. J., 2
Chromobacterium spp., phytopathogenic forms, lipolytic activities, taxonomic significance, 602
Chromosomes, chemicals causing doubling of, effect on plant tumors, 25
Chrysanthemum frutescens, tumors on, as influenced by chromosome-doubling chemicals, 26, 44
CHUPP, CHARLES, (773)
Citrivir psorosis var. anulatum, in citrus, inoculum vs. symptoms, 22
var. vulgare, in citrus, inoculum vs. symptoms, 22
Citrus, Diplodia natalensis on, 880
Phytophthora on, life activities, factors influencing and control, 23
psorosis, incubation period, factors influencing, 22
inoculum vs. symptoms, 22
as rough bark disease, 435
transmission by grafting, 410
red scale, control by sporiferous bacterium, 187
rejuvenation of root-rotted, by soil-banking method, 530
Cladosporium sp., on willow leaves, 1096
fulvum, new strain, reactions of Lycopersicon spp. and vars. to, 902
CLARK, C. F., (813), (965)
Claviceps spp., control by Cerebella, 616
indicator of presence of, 616
yanagawaensis, in Japanese lawn grass seed, and seed treatment for, 809
in United States, 809
CLAYTON, C. N., 921
Climate (see Meteorology)
Clitocybe tabescens, Australian pine root-rotted by, rejuvenation, 532
banana root rot due to, general study, 487
host plants, 493
Clover, crimson- (see Trifolium incarnatum)
red- (see Trifolium pratense)
subterranean- (see Trifolium subterraneum)
white- (see Trifolium repens)
Club root, crucifer-, 18
Coacervates, in physical and biological systems, 568
COCHRAN, L. C., (22), 827
Cold injury, to flue-cured and Burley-type tobacco seedlings, 512
Conifers, crown gall (exp.) on, 1005
Diplodia epidemic in, 16
dwarf mistletoes of western-, behavior, 21
Coniophora sistotremoides, spore longevity, 1097
Constriction disease, peach Phomopsis (Diaporthe), 335
COOLEY, J. S., 906
Copper, spray injury by, substitutes preventing, 1030
Copper fungicides (see also Fungicides, copper)
Copper xanthates, fungicidal and phytocidal properties, 497
Corn, bacterial stalk rot, classification of pathogen, 18
bacterial wilt, on dent inbreds, reactions vs. age, 262
Diplodia spp. on, physiological studies, 130
Diplodia seedling infection vs. inoculum placement, 24

Diplodia zeae on, reactions of dent crosses, 16
Pythium arrhenomanes on, 328
cross inoculations, 17
seed, as influenced by temp. and moisture, 23
seed treatment of good, 23
smut, growth types vs. environal and genetic factors, 554
coronafaciens (Pseudomonas), 12
Corticium stevensii, hosts and homothallic nature, 17
pure cultures from sclerotia, technique, 824
vagum, on cotton, injury to older plants, 641
soil-borne, prevalence vs. environment, 972
Corynebacterium spp., phytopathogenic forms, lipolytic activities, taxonomic significance, 603
sepedonicum n. comb., for potato ring rot pathogen, 441
Coryneum beijerinckii, hosts and growth-temp. relations, 221
Cotton, Aecidium gossypii on, Puccinia stage, 97
angular leaf spot, dissemination by wind-borne dust, 81
depth of planting, effect on fuzzy and acid-delinted seed, 649
Diplodia natalensis on, as source of wood-staining inoculum, 885
Fusarium wilt, cross inoculations, 20, 686, 689, 693, 694
Phymatotrichum omnivorum on, persistence of sclerotia in soil, 23
yields vs. weather vs., 4
regional test with reginned and acid-delinted seed, 648
in Rhizoctonia-infested soil, seed treatment effects, 15
Rhizoctonia injury to older plants, 641
root knot nematode on, soil populations in Calif., 650
varietal reactions, 649
seed- and soil-borne pathogens, isolation and infection tests, 233
seed treatments, by dusts, with hormone alone, and plus Ceresan and Spergon, 648
effect on emergence, diseases and yields, 651
Cowpea, asparagus-bean mosaic transmitted to, 521
Fusarium wilt, cross inoculations, 685
tobacco broad ring spot (exp.) on, 610
Cronartium spp., life cycles, review, 787
quercuum, on northern hard pines, life cycle, histology and physiology, 785
Crops, hunger signs in, book review, 443
Crown gall (see also under tumefaciens)
on conifers (exp.), 1005
formation by Phytomonas tumefaciens culture extract vs. indole-3-acetic acid, 762
as influenced by chromosome-doubling chemicals, 35
on peach, control in nursery, 826
Crown rot, of milo, causal factors, 640
Crucifers, club root, physiologic races of fungus, 18
Cucumber, mosaic, breeding for resistance, suggestions, 782
resistance to, criteria for measuring, 782
symptoms, genetic control, 773
pea mottle (exp.) on, 106
tobacco broad ring spot (exp.) on, 609
Cucurbits, powdery mildew, fungicide effects on, and factors influencing, 19
Culture media (see under Technique)
Culture technique (see under Technique)
CUMMINGS, GEORGE B., 839
Cunninghamella lanceolata, crown gall (exp.) on, 1005
Curly top, immunity, acquired in tobacco and tomato, 24
sugar beet, virus, reactions of resistant vs. susceptible beans to strains, 911
on tomato, virus strains vs. acquired immunity, 18
Cynodon dactylon, Hypochnus banded sclerotial disease, 24
Cynoglossum amabile, tobacco broad ring spot (exp.) on, 609
Cyperus articulatus, Sclerospora macrospora on, 870
Cytology, coacervates in biological and physical systems, 568
cytoplasm of plant cells, book review, 646
Cytoplasm, of plant cell, book review, 646

Dactylium dendroides, in mushroom casing soil, control by chloropicrin, 978
Damping-off, control, by Spergon seed treatment, 4
red pine–, 15
Datura spp., tomato ring spot (exp.) on, 1041
stramonium, tobacco broad ring spot (exp.) on, 610
tobacco mosaic (tomato strain) on, 989
tomato ring-spot (exp.) on, 1040
DAVIS, SPENCER H., JR., 91
Deficiency diseases (plant), hunger signs in crops, book review, 443
pear boron-, 1082
tobacco potassium–, effect on water-soaking of leaves, 1
vacuolar inclusions in, 568
Defoliation disease, of holly cuttings, Rhizoctonia causing, 906
tomato Alternaria, 226
Delphinium sp., tobacco broad ring spot (exp.) on, 610
DEMAREE, J. B., 1068
Derris, effect on effectiveness of Cu fungicides, 372
DIACHUN, STEPHEN, 2, 379
Diaminobenzene dihydrochloride, chemotherapy of plant diseases by, 22
Diaporthe eres, as perfect stage of Phomopsis of peach constriction disease, 335

perniciosa, as perfect stage of Phomopsis of peach constriction disease, 335
vexans n. comb., as perfect stage of Phomopsis vexans, 542
3-5-Dibromopyridine, effect on plant tumors, 26
Dieback, pear-, boron-induced, 1086
Dieffenbachia picta, Cephalosporium leaf spot (new) of, 172
DIMOND, ALBERT E., 3
Diplodia macrospora, carbohydrate metabolism, 131
distribution, 130
growth factor requirements, 137
natalensis, from stained wood, etc., comparisons, 880
pinea, conifer epidemic due to, 16
zeae, carbohydrate metabolism, 131
on corn, as influenced by bacterial wilt leaf infection, 263
reactions of dent crosses, 16
seedling infection vs. inoculum placement, 24
growth factor produced by, 134
growth-factor requirements, 137
Diseases (plant), bacteria of, classification, 18
lipolytic activities, determination and significance, 598
deficiency- (see Deficiency diseases)
environal effects on, in Southwest U.S.A., 2
hunger signs in crops, book review, 443
magnitude of attack, measuring technique, 226
nature and prevention, book review, 1098
regulatory work and foreign, committee report on, 347
resistant varieties, periodic reselection needed, 1090
seedling-, of sugar beet, control, 477
toxins of, antidoting, 22
vacuolar inclusions in, 568
Disinfectants, tomato seed-, injury as influenced by ratio of seed amount to solution volume, 525
Distribution (geographical) of: Ascochyta imperfecta, 590
Ascochyta majalis, 259
Coryneum beijerinckii, 221
Diplodia macrospora, 130
Diplodia zeae, 130
ergot, 616
Gloeosporium olivarum, 642
Mycosphaerella angulata, 71
Physalospora corticis, 1068
Phytophthora cactorum, 404
Phytophthora phaseoli, 436
Pythium arrhenomanes, 327
Sclerospora macrospora, 868
Sorghastrum elliottii, 545
Stemphylium botryosum var. tragopogoni, 150
sugar beet savoy virus disease, 328
Titaeospora andropogonis, 1
Ditylenchus dipsaci, on onion, nemacidal control in muck soils, 254
Dolichos lablab, tobacco broad ring spot (exp.) on, 609
Dombeya punctata, Clitocybe root rot, 494
DOOLITTLE, S. P., (542), 986
Draeculacephala portola, as vector of sugar cane chlorotic streak, 99
Dubay-870, sorghum kernel smut control by, 1091
DUBUY, H. G., (288)
DUFRENOY, JEAN, 3, 568, 646
DUNDAS, B., 828
Dusts, settling and fractionating, apparatus for studying, 166
Dutch elm disease (see also Ceratostomella ulmi)
chemotherapy, 20, 22

Echinochloa crus-galli, Pythium arrhenomanes on, 327
EDGERTON, C. W., (1)
Eggplant, Phomopsis "tip-over," perfect stage of fungus, 542
Verticillium on, chemotherapy, 22
Elevation, effect on diseases of plants in Southwest U.S.A., 2
Elgetol, in asparagus rust control, 420
as eradicant fungicide, 849
ELLIOTT, CHARLOTTE, 262
Elm, Dutch elm disease, chemotherapy, 20, 22
toxin formation in, 20
vectors, feeding technique for studies of, 95
Scolytus sulcatus as, 441
ELMER, O. H., 3, 972
Elsinoë **parthenocissi** n. sp., Virginia creeper anthracnose due to, 424
Elymus spp., flag smuts on, 4
head smut on, control by dusts, 5
Pythium arrhenomanes on, 328
Emmer, Khapli, stem rust from, unusually virulent race, 720
Environment, effect on: diseases of plants in Southwest U.S.A., 2
insect-transmitted diseases, differential equation for, 799
Enzymes, in plants, mosaic effects on, 858
Epichloe typhina, on grass seed (imported fescue), 1093
EPPS, JAMES M., (868)
Equipment priorities, War Emergency Committee report on, 918
Ergot, control by Cerebella, 616
distributional history, indicator for, 616
indicator for presence of, 616
on Japanese lawn grass seed, 809
Eriobotrya japonica, Phytophthora cactorum crown rot, symptoms, hosts, and distribution, 404
Errata, for PHYTOPATHOLOGY (vol. 31), [354]
Erwinia (see also Bacillus)
spp., classification, 18
carnegieana, cactus (giant) necrosis due to, 310
Erysiphe cichoracearum, on cantaloupe, development as influenced by vitamin B_1, 14
host-strain reactions in greenhouse and field, 14, 995
resistance to, assay method, 14, 1003

vitamin B_1 effects on, 886
phlox selections resistant to, 414
polygoni, copper fungicide effects on, and factors influencing, 19
spore germination, humidity vs., 936
Etch, tobacco, virus, host sources, 1063
quantitative assay, 1058
Ethylene chloride, for onion bloat on muck soils, 257
Ethylene dichloride, root knot control by, 626
as soil fumigant, 22
Eucalyptus spp., scab, Coniothecium associated, 1
Eugenia spp., Clitocybe root rot, 493
pitanga, Elsinoë pitangae on, 1
Euphorbia pulcherrima, bacterial disease (new), 1076
EXNER, BEATRICE, (24)
Eye spot, Kentucky bluegrass Cercosporella (new), 737
Napier grass Helminthosporium, 46
EZEKIEL, WALTER N., 4

FAWCETT, H. S., 22, (23), 828
FELIX, E. L., 4
FELLOWS, H., (331)
Fertilizers, sugar beet seedling disease control by, 477
Festuca rubra, Epichloe typhina on imported seed of, 1093
var. commutata, Pythium arrhenomanes on, 328
Fig, Corticium sp. blight, 24
Corticium stevensii thread blight, 17
culture from sclerotia, 824
Rhizoctonia web blight of, 24
"Fire," tulip Botrytis, 1028
FISCHER, GEORGE W., 4, 5
Flax, Pythium injury to, 24
root injury by fungi, 24
rust, pathogenicity inheritance, 653
seed, mechanical injury causes, effects, and fungicidal treatment, 733
seed treatment, variable responses and, factors in, 2
FLOR, H. H., 5, 653
Flowers, barley male sterile-, for study of floral infection, 431
Fomes spp., spore longevity, 1097
igniarius, on aspen, sporophore age vs. tube layers, 176
Forage grasses, flag smuts of wheat, rye, and grasses on, 4
FRAMPTON, VERNON L., 618, 799
Fruit trees (see Trees, fruit)
FULTON, J. P., (419)
FULTON, ROBERT W., (605)
Fumigants, soil–, evaluating volatile, technique, 627
Fumigation, of potting soils, materials and methods, 22
Fungi (see also Mycology)
cultures, mounting method for herbarium, 546
germination of spores, humidity vs., 921
temp. effects in presence of S and Cu, 394
heterocaryosis vs. variability in, 639
inheritance, in Melampsora, 653
in Ustilago, 637
soil-, fumigation for, materials and methods, 22
Fungicide Subcommittee (War Emergency Committee), report, 919
Fungicides (see also Sprays)
assay, causes of variable results, 3
chloropicrin, fungus control in mushroom casing soil by, 978
for oats Pythium, 19
for onion bloat, 257
as plant-bed disinfectant, 1034
for root knot, 626
as soil fumigant, 22
compressed-air sprayer for laboratory studies, 822
copper–, Bordeaux, as influenced by preparation method, 19
effect on powdery mildews, 19
effectiveness, reduced by organic materials, 370
temp. effects on, 394
fixed, adherence vs. spray supplements, 953
particle size vs. effectiveness, 388
fungicidal and phytocidal properties of Cu xanthates, 497
injury by, substitutes preventing, 1030
dust-, settling and fractionating, apparatus for studying, 166
effectiveness, measuring technique, 389
eradicant, for asparagus rust, 419
toximetric study, 846
hormones alone and plus Ceresan and Spergon for cotton seed treatment, 648
mercurial, flax responses to seed treatment by, 2
for narcissus fusarium basal rot, 205
for Rhizoctonia on potato, 3
tomato seed treatments by, factors influencing, 525
metallic alkyl-dithiocarbamates as, 6
for narcissus Fusarium basal rot, 201
new, in sorghum kernel smut control, 1091
particle size, measuring technique, 388
seed treatments by, for vegetables and ornamentals, 649
silver-, composition and field performance, 1026
soil-, 22
effect on Fusarium of Panama disease of banana, 182
for peach root diseases, 649
Spergon, as seed protectant, for damping-off, 4
for peas, 944
spreaders for, on hops, 820
standardization of tests of, committee report on, 346
sulphur, effectiveness, temp. effects on, 394
Fusarium spp., on cotton, seed-, and soil-transmission and isolation and infection tests, 233
crested wheatgrass seedling blight association, 2

on flax, 24
on subterranean clover seed, 739
wheat root rot-associated, pathogenicity and factors influencing, 670
wilt-inducing, cross inoculations, 20, 685
bulbigenum, on narcissus bulbs, prestorage disinfection for, 199
var. lycopersici, pathogenicity vs. pH variability of strains, 271
culmorum, pathogenicity as influenced by Trichoderma and Pyronema, 680
lycopersici, on tomato, seed transmission, importance, 16
martii var. pisi, pea root rot due to, seed treatment for, 952
oxysporum cubense, in soil, as influenced by chemicals, 182
f. **phaseoli** n. f., bean yellows due to, 1013
seed transmission and control, 1013
f. **raphani** n. f., radish yellows due to, 1033
var. niveum, on watermelon, resistance of F_1 hybrids, 181
solani var. eumartii, Solanum spp. reactions to, 914
Fusicladium saliciperdum, on willow, pathogenicity in W. Va., 1095

GARCIA-RADA, G., 720
GARDNER, M. W., 826
Genetics (see also Inheritance)
plant–, review of book on, 915
of Venturia pirina, 357
Germination, fungus spore-, humidity vs., 921
temp. effects in presence of S and Cu, 394
GILL, LAKE S., (20), 21, (21)
GILLESPIE, GLENN E., (827)
Ginkgo biloba, Xylaria on seeds and branches, 91
Gleocercospora, sorghum leaf spot (new) due to, 1
Gloeosporium sp., on lily-of-the-valley (?), 261
olivarum, on olive, first U.S.A. report, 642
Glomerella cingulata, control by Cu xanthates, 498
gossypii, on cotton, seed- and soil-transmission and isolation and infection tests, 233
GODFREY, G. H., 22
GOLDSWORTHY, M. C., 497
GOODWIN, M. W., 6
GOSS, R. W., (246), 914
GRANOVSKY, A. A., 6
Grape, muscadine-, Mycosphaerella (new) angular leaf spot, general study, 71
Grass(es), Bermuda (see Cynodon dactylon)
Epichloë typhina on seed of imported fescue-, 1093
forage, flag smuts of wheat, rye, and grasses on, 4
head smut on, control by dusts, 5
Japanese lawn-, Claviceps yanagawaensis in seed of, and seed treatment for, 809
leaf spots, 1
long-awn Indian (see Sorghastrum elliottii)
Napier- (see Pennisetum purpureum)
Pythium arrhenomanes on, cross inoculations on cereals and, 17
distribution and damage on cereals and, 327
root and stem rots, weevil role, 22
Sclerospora macrospora host-, 869
seedling blight, fungi associated, 2
GRATZ, L. O., 540
GREANEY, F. J., (670)
GREEN, E. L., (6), (497)
GROGAN, RAYMOND, (524)
Growth substances (see also Hormones)
in cotton seed treatment, 648
Diplodia spp. requirements, 137
Diplodia zeae producing, 134
gall formation by crown gall bacterial extracts vs., 762
Guava, Clitocybe root rot, 493
GUILLIERMOND, ALEXANDER, 646

HAASIS, FRANK A., (199)
Hail, cotton angular leaf spot infection via wind-borne dust in injuries by, 89
HANSEN, H. N., 639, (642),
HANSING, E. D., (799)
HANSON, E. W., 22
HARE, JAMES, (650)
HARRISON, CHARLES H., 1096
HARRY, JOHN B., (91)
HART, HELEN, (1087)
HARTER, L. L., 438, (438)
HARTWELL, WAYNE M., 444
HAWKINS, B. S., (20), (685)
HAYES, HERBERT KENDALL, 915
HEALD, FREDERICK DEFOREST, (646)
Heart rot, aspen Fomes white-, 176
HEEP, DON M., (21)
Helminthosporium sp., on flax, 24
gramineum, on barley, inoculation method, 21
floral infection, male sterile barley for study of, 431
ocellum, synonym of H. sacchari, 49
sacchari, classification, physiology, and morphology, 49
Napier grass eye spot and stem canker due to, general study, 46
sativum, crested wheatgrass seedling blight due to, 2
vagans, Kentucky bluegrass leaf spot due to, 737
HENDERSON, R. G., 647
Herbarium, fungus cultures for, mounting method, 546
HERRICK, J. ARTHUR, 636
Heterocaryosis, in fungi, origin, 640
variability vs., 639
Heterodera marioni, control, by chemicals, 650
by chloropierin and ethylene dichloride, 626
by fumigation, 22

on cotton, varietal reactions, 649
distribution in high ridge plantings of potato and tomato, 650
infestation as influenced by irrigation, 650
larvae, transient feeding mechanism and effects, 580
populations in Calif. fields, 650
on soybean, varietal reactions, 650
Heterothallism, in Venturia, 357
HEUBERGER, JOHN W., 166, (226), 370
Hibiscus, Clitocybe root rot, 494
HILDEBRAND, A. A., 328
HILDEBRAND, E. M., 712
HILLS, CLAUDE H., 433, 858
HIRT, RAY R., 176
HOERNER, G. R., 331, 820
Holly, American (see Ilex opaca)
HOLMES, FRANCIS O., 1058
HOLTON, CHARLES STEWART, 117, (158), 646
HOPP, HENRY, (176)
Hops, downy mildew, degrees of infection, determination method, 331
fungicidal control, spreaders for, 820
Hordeum spp. (see also Barley)
flag smuts on, 4
nodosum, head smut on, fungicidal dusts for, 5
Hormones (see also Growth substances)
in cotton seed treatment, 648
HORSFALL, JAMES G., 22, 226, (370)
HOUSTON, B. R., (431)
HOWARD, F. L., 21
HUBER, GLENN A., 635
Humidity, fungus spore germination vs., 921
HWANG, LIANG, 699
Hydrogn-ion concentration, pathogenicity vs., in Fusarium, 271
Hydroponics, water vapor culture method, 625
8-Hydroxyquinoline, chemotherapy of plant diseases by, 22
–benzoate, chemotherapy of Dutch elm disease by, 20
–sulphate, chemotherapy of Dutch elm disease by, 20
Hydroquinone, chemotherapy of Dutch elm disease by, 20
Hymenochaete tabacina, spore longevity, 1097
Hymenomycetes, wood-destroying, spore longevity, 1096
Hyoscyamus niger, tomato ring spot (exp.) on, 1041
Hypochnus sasaki, hosts and comparisons, 24
HYRE, R. A., 388

Ilex opaca, defoliation of cuttings by Rhizoctonia, 906
Illinoia pisi, as vector of celery mosaic, 537
IMLE, E. P., (1037)
IMMER, FORREST RHINEHART, (915)
Immunity, acquired, in tomato, from curly top, 18
from viruses, in plants vs. animals, 18
Inclusions, vacuolar, 568
in sugar cane chlorotic streak, 3
Indole-3-acetic acid, tumor formation by crown gall bacterial extract vs., 762
Infection, floral, technique of study, male sterile barley for, 431
magnitude of attack, measuring technique, 226, 331
INGRAM, J. W., (99)
Inheritance (see also Genetics)
barley, resistance to loose smut, 451
fungus-, in Melampsora, 5, 653
in Ustilago, 554, 637
Inoculation technique (see under Technique)
Insecticides, calcium arsenate, compatibility with Cu fungicides and diluents, 6
dust-, settling and fractionating, apparatus for studying, 166
Insects as vectors, asparagus-bean mosaic by aphids, 518
celery mosaic by aphids, 537
Cephalosporium dieffenbachiae via mealybug feeding injuries, 173
Dutch elm disease by Scolytus sulcatus, 441
feeding technique for studies of, 95
root and stem rots of cereals and grasses by weevils, 22
sugar beet savoy by pigweed bug, 328
sugar cane chlorotic streak by leaf hoppers, 99
of yellow-type viruses, differential equation for transmission, 799
International Rules of Botanical Nomenclature, amendments proposed for fungi, 644
Irrigation, effect on root knot, 650

Jaggar, Ivan Claude, biographical sketch and bibliography, 549
portrait, 549
Jasminum grandiflorum, Clitocybe root rot, 494
Jatropha cureas, Clitocybe root rot, 494
JENKINS, ANNA E., 259, 424
Jenkins, Wilbert A., 71
JENSEN, J. H., 246, (914)
JOHNSON, E. M., (2), (379)
Johnson, Folke, 103
JOHNSON, JAMES, (1), 605
JOHNSTON, C. L., 670
JOHNSTON, C. O., (331)
Journals, conservation of scholarly, note by Committee on Library Aid, 444
Juniperus spp., Phomopsis nursery blight, factors influencing and control, 19

Kabatiella microstieta, on lily-of-the-valley, 261
KADOW, K. J., (6)
Kafir, kernel smut of Sharon-, control by new fungicides, 1091
Kalanchoe daigremontiana, tumors on, as influenced by chromosome-doubling chemicals, 44
KARLING, JOHN S., 1098
KAUFERT, F. H., (735)
KEITT, G. W., (357), 916

KENDRICK, JAMES B., 1010, 1031
KERN, FRANK D., 833
KERNKAMP, M. F., 554
KIENHOLZ, J. R., 1082
KLIGMAN, ALBERT M., 978
KLOTZ, L. J., 23, (187)
KOCH, L. W., (328)
KOEPPER, J. M., 1048
KREUTZER, W. A., (179)

LACKEY, C. F., 911
Lambertella corni-maris, on apple fruits, susceptibility of blushed vs. green sides, 239
LANGDON, R. F., 613
LANGFORD, M. H., 357
Laurocerasus caroliniana, Clitocybe root rot, 494
LEACH, J. G., (1095)
Leaf drop, of holly cuttings, Rhizoctonia causing, 906
Leaf hopper, as vector of sugar cane chlorotic streak, 99
Leaf mold, tomato Cladosporium, 902
Leaf necrosis, tomato-, tobacco mosaic strain causing, 986
Leaf rasp, cherry virus disease (new), 333
Leaf roll, strawberry virus disease (new), 631
Leaf spot(s), cotton angular-, dissemination by wind-borne dust, 81
  Dieffenbachia, Cephalosporium (new) causing, 172
  Kentucky bluegrass, Helminthosporium, 737
  Septoria, 737
  lily-of-the-valley Ascochyta, 259
  muscadine grape Mycosphaerella angular-, 71
  pea Septoria, 64
  salsify Stemphylium (new), 150
  sorghum, 1
  tomato Alternaria, 399
Leaves, bacterial invasion, moisture effects, 379
  water-soaking of tobacco-, K– deficiency effects on, 1
LEBEAU, F. J., 648
LECLERG, E. L., 731
LEFEBVRE, C. L., 809
Legumes, pea-wilt virus hosts, 106
Leguminosarum (Rhizobium), 602
LEHMAN, S. G., 648
Lettuce, big-vein, symptom expression as influenced by temp., 542
  root knot on, pathogenesis, 582
LEUKEL, R. W., 1034, 1091
Libraries, Committee on Aid to, note on conservation of scholarly journals, 444
LIGHTLE, PAUL C., (21), 303
Lignasan, as eradicant fungicide, 849
Lily-of-the-valley, Ascochyta majalis leaf spot, first U.S.A. record, 259
  Kabatiella microsticta infecting, 261
LIN, KUNG-HSIANG, 239
LINDSAY, MARK A., (650)
LINFORD, M. B., 580
LINN, M. B., 150, 172, (799), 946
Linopodes antennaepes, in mushroom beds, control by chloropicrin, 985
Lipolysis, by bacterial plant pathogens, determination and taxonomic significance, 598
Litchi chinensis, Clitocybe root rot, 495
LIVINGSTON, J. E., 451
LOEGERING, W. Q., (17), (720)
Loquat, Phytophthora crown rot symptoms, hosts and distribution, 404
LOWE, A. E., (23)
Lumber, Diplodia staining, sources of inoculum, 880
Lycopersicon spp. (see also Tomato)
  Cladosporium fulvum on vars. and, comparative reactions to strains, 902
  tobacco mosaic (tomato strain) on, 987
  tomato ring spot (exp.) on, 1041
  chilense, tomato cross with, wilt resistance and characters, 24,

McCALLAN, S. E. A. (Chairman), 346
MCCLELLAN, W. D., 394
MCCOLLOCH, L. P., 1094
McCUBBIN, W. A. (Chairman), 347
MCKENZIE, MALCOLM A., 785
McKinley infection index, applications, 226
MCKINNEY, H. H., 331, (858)
MCLARTY, H. R., 443
MCLAUGHLIN, J. H., (233)
McLean, Robert Redpath, necrology, 351
MACHACEK, J. E., 733
Machinery, farm-, priorities, War Emergency Committee report on, 918
Macrophoma sp., on willow cankers, 1096
Macrosiphum pisi, as vector of asparagus bean mosaic, 518
MAINS, E. B., 414
Malachite green, chemotherapy of plant diseases by, 22
malvaceara (Phytomonas), 81
malvacearum (Bacterium), 651
manihotis (Phytomonas), 148
Maple, bleeding canker, as influenced by chemotherapy and fertilization, 21
  Verticillium on, chemotherapy, 22
Marmor **efficiens** n. sp., pea-mottle virus, 115
  erodens, quantitative measurement, 1058
  pallidolimbatus n. sp., cherry banded chlorosis due to, 635
  repens n. sp., pea-wilt virus, 115
  tabaci, effect on cellular respiration, 288
  var. **siccans** n. var., hosts, properties, and relationships, 994
    tomato leaf necrosis and shriveling due to, 994
Martynia lousiana, tomato ring spot (exp.) on, 1041
MASSEY, A. B., 544
MAY, CURTIS, (95)
MEADOWS, S. B., (731)
Mealybugs, Cephalosporium infection via feeding injuries of, 173
medicaginis var. phaseolicola (Phytomonas), 246
Medicago spp., Ascochyta imperfecta on (exp.), 596

rust resistance of vars. and, 1051, 1054, 1055
Melampsora lini, pathogenicity inheritance in crosses of physiologic races, 5, 653
MELCHERS, L. E., 23, (590), 640
MELHUS, I. E., (181), 447
Mercurial fungicides (see Fungicides, mercurial)
MEREDITH, CLIFFORD H., 182
Meteorological relations, of plant diseases in Southwest U.S.A., 2
Methyl bromide, as soil fumigant, 22
a-Methylnaphthalene, effect on plant tumors, 26
Microsphaera, bean powdery mildew perithecia resembling, 828
MILBRATH, J. A., 428, (634)
Mildew(s), bean powdery, 828
cabbage downy-, 648
cantaloupe powdery-, 886, 995
downy-, spore dispersal mechanism, 505
hops downy-, 331, 820
Lima bean downy-, 436
oats downy-, 868
phlox Erysiphe powdery-, 414
powdery-, 19
sugar beet downy-, 827
tobacco downy-, 505
wheat downy-, 871
MILES, L. E., 868
Miles, Lee Ellis, biographical sketch and bibliography, 267
necrology, 352
portrait, 268
MILLER, J. H., 524
MILLER, P. A., 404
MILLIRON, H. E., (22)
Milo disease, causal factors, 640
in plant beds, chloropicrin as disinfectant for, 1034
on sorghums, selection for resistance, 23
Mistletoes, dwarf-, of western conifers, behavior, 21
Mites, in mushroom beds, chloropicrin for, 985
Moisture, effect on leaf invasion by bacteria, 379
Moldy core, apple-, 897
MOORE, M. B., (2), 345
MOORE, W. D., 399
Morpholine thiuramdisulphide, sorghum kernel smut control by, 1091
MORRIS, H. E., (477)
Mottle, pea virus–, hosts, 106
Mounting method, for fungus cultures for herbarium, 546
Mosaic, alfalfa virus, celery infection by, 537
asparagus-bean virus, aphid and seed transmission and general study, 518
bean, virus-4 (new) on, 438
Bromus inermis yellow-, new virus, 331
celery, alfalfa mosaic virus causing, and aphid transmission, 537
cucumber, breeding for resistance, suggestions, 782
resistance to, criteria for measuring, 782
symptoms, genetic control, 773
peach, control by breeding, limitations, 827
virus, antagonism between strains, 1
viruses of group, shock effects,
rose, temp. effects on symptom expression, 321
tobacco, control by breeding, 1022
effect on: enzyme activity of resistant vs. susceptible vars., 863
protein content of resistant vs. susceptible vars., 858
tomato strain, 986
virus, effect on cellular respiration, 288
virus protein, assay methods, chemical, 433
serological, 618
tobacco ring-, comparisons, 1045
white clover-, complex nature, hosts and general study, 103
Mushrooms, fungus control in casing soil, by chloropicrin, 978
mites in beds, control by chloropicrin, 985
Mutation, in Cercospora spp., 16
in fungi, heterocaryosis vs., 639
Mycogone perniciosa, in mushroom casing soil, control by chloropicrin, 978
Mycology (see also Fungi)
nomenclature in, amendments proposed, 644
Plasmodiophorales, monograph review, 1098
Mycosphaerella **angulata** n. sp., muscadine grape angular leaf spot due to, general study, 71
Myrceugenia apiculata, Elsinoë on, 1
Myrciaria jaboticaba, Elsinoë on, 1
Myrtaceae, Sphaceloma on, 1
Myzus persicae, virosis-like injury of snapdragon due to, 93

Narcissus, bulbs, prestorage disinfection for Fusarium basal rot, 199
Nasturtium, tobacco broad ring spot (exp.) on, 610
NATIONAL FERTILIZER ASSOCIATION, hunger signs in crops by, book review, 443
NEAL, DAVID C., 267, 641
Necrologies (see under Biographies)
Necrosis, cactus (giant) bacterial (new), 21, 303
tomato leaf-, tobacco mosaic strain causing, 986
Necrotic spot, peach-, bud transmission, 2
Nemacide(s), chloropicrin as, 626
ethylene dichloride as, 626
for onion bloat on muck soils, 254
for root knot control, 650
soil-, 22
Nematodes (see also Ditylenchus; Heterodera; Pratylenchus)
soil fumigation for, materials and methods, 22
NEWHALL, A. G., (254), 626
NEWTON, J. H., (333)
Nicandra physalodes, tobacco broad ring spot (exp.) on, 610
tomato ring spot (exp.) on, 1041

Nicotiana spp., tobacco broad ring spot (exp.) on, 610
tobacco mosaic (tomato strain) on, 987
tomato ring spot (exp.) on, 1041
NIELSEN, L. W., 1026
NIKITIN, A. A., 953
a-Nitronaphthalene, effect on plant tumors, 26
p-Nitrophenol, in chemotherapy of Dutch elm disease, 20
Nomenclature, mycological, amendments proposed, 644
NUGENT, T. J., (16)

Oats, crown rust, resistance to physiologic races, genetic relations, 19
diseases, breeding for resistance, 100
downy mildew, first record for U. S. A., 868
symptoms, 870
loose smut, susceptibility of Lee × Victoria selections, 100
Pythium root parasites, control, 19
stem rust, reactions of Anthony var. to, 1087
Okra, Fusarium wilt, cross inoculations, 20, 693, 694
tobacco broad ring spot (exp.) on, 610
Olive, anthracnose, first report for U. S. A., 642
Onion, bacterial bulb rot (new), 143
bloat, nemacidal control in muck soils, 254
Orange, deficiency disease, vacuolar inclusions in, 572
Organic materials, effect on Cu fungicidal effectiveness, 370
Ornamentals, Clitocybe root rot, 495
seed treatments for, 649

Panama disease, banana Fusarium, 182
Panicum miliaceum, Pythium arrhenomanes on, 328
Papaya, Phytophthora fruit rot and stem canker, 314
PARRIS, G. K., 46, 314
Parthenocissus quinquefolia, Elsinoë anthracnose, 424
Pathogenicity, pH vs., in Fusarium, 271
Pathogens (plant), in soil, fumigation materials and methods for, 22
toxins of, antidoting, 22
Peas, canning–, Spergon as seed protectant for, 944
root rots, control by seed treatment, 944
Septoria leaf spot, varietal reactions to, 64
streak, complex nature of virus, 103
tobacco broad ring spot (exp.) on, 609
Pea-mottle virus, hosts, 106
Pea-wilt virus, hosts, 106
Peach, brown rot, control by Cu xanthates, 498
cherry yellows on, indexing, 712
crown gall on, control in nursery, 826
metallic alkyl-dithiocarbamates as fungicides for, 6
mosaic, virus, antagonism between strains, 1
mosaic-group viruses in, shock effects, 827
necrotic spot, bud transmission, 2
Phomopsis constriction disease, Diaporthe perfect stage, 335
root diseases, control by soil treatments, 649
Sclerotinia fructicola apothecia on, first report for Wash. State, 635
virus diseases, control by breeding limitations in, 827
X-ray disease, virus inactivation in vivo by chemotherapy, 17
Peanut, seed treatments, effects on emergence, 649
Pear, black end, comparisons, 1085
Diplodia natalensis on, 880
scab, heterothallism and variability in fungus, 357
stony pit, comparisons, 1084
Penicillium spp., on cotton, dissemination, isolation and infection tests, 237
expansum, on apples, susceptibility of blushed vs. green sides, 239
Pennisetum purpureum, Helminthosporium eye spot and stem canker, general study, 46
Peridermium spp., autoecism (exp.) in, 785
life cycles, review, 787
cerebrum, on northern hard pines, life cycle, histology, and physiology, 785
Peronospora effusa, spore dispersal, mechanism, 511
geranii, spore dispersal, mechanism, 509
halsteadii, spore dispersal, mechanism, 509
parasitica, oospore production in cabbage seedlings by, 648
spore dispersal, mechanism, 509
tabacina, spore dispersal, mechanism, 505
PERSON, L. H., 649, (731)
PETERSON, MAURICE L., 590
Petunia spp., tomato ring spot (exp.) on, 1042
violacea, tobacco broad ring spot (exp.) on, 610
Phaseolus vulgaris (see Bean)
Phenyl mercury oleate, as eradicant fungicide, 849
Phialophora **malorum** n. comb., apples rotted by, 1094
morphological relation to human pathogenic forms, 1094
Phlox, powdery mildew-resistant selections of annual and perennial, 414
Phoma betae, on sugar beet, control, 477
Phomopsis, sp., of peach constriction disease, Diaporthe perfect stage, 335
juniperovora, juniper nursery blight due to, factors influencing and control, 19
vexans, Diaporthe vexans as perfect stage, 542
Phymatotrichum omnivorum, attenuation by rapid culture transfer, 4
on cotton, yields vs. weather vs., 4
sclerotia, persistence in soil, cropping practices vs., 23
Physalis spp., tobacco broad ring spot (exp.) on, 610

tobacco mosaic (tomato strain) on, 987
alkekengi, tomato ring spot (exp.) on, 1042
peruviana, tobacco etch virus in, quantitative measurement, 1059
Physalospora **corticis** n. sp., blueberry cane canker due to, general study, 1074
varietal reactions, 1070
malorum, on apples, susceptibility of blushed vs. green sides, 239
miyabeana, on willow, pathogenicity in W. Va., 1095
Physical systems, coacervates in biological systems and, 568
Physiological diseases, tomato blossom-end rot, 214
Physiologic races of: Cladosporium fulvum, 902
Melampsora lini, 5, 653
Puccinia coronata, 19
Puccinia graminis tritici, 17, 720
Tilletia levis, 117, 158
Tilletia tritici, 117, 158
Phytocides, alkyl-dithiocarbamates as, 6
copper xanthates as, 497
Phytomonas (see also Bacterium; Pseudomonas; Xanthomonas)
spp., lipolytic activities, taxonomic significance, 598
alliicola n. sp., onion bulb rot due to, 146
carotae, carrot root scab due to, 826
caryophylli n. sp., carnation wilt and root rot due to, 143
malvaceara, on cotton, dissemination by wind-borne dust, 81
manihotis, cassava wilt due to, 146
emended description, 147
medicaginis var. phaseolicola, on bean, physiological resistance, 246
poinsettiae n. sp., poinsettia disease due to, 1080
sepedonica, in potato, varietal reactions to, 813
reduction to synonymy, 439
stewartii (see stewarti)
tumefaciens, conifer hosts (exp.), 1005
extract of, tumor formation on tomato roots by indole-3-acetic acid vs., 762
on peach, control in nursery, 826
PHYTOPATHOLOGICAL SOCIETY, AMERICAN (see under AMERICAN)
PHYTOPATHOLOGY, errata (vol. 31), [354]
Phytopathology (see also Diseases)
nature and prevention of diseases, book review, 1098
Phytophthora cactorum, loquat crown rot due to, symptoms, hosts and distribution, 404
citrophthora, life history, factors influencing and control, 23
parasitica, citrus trees root-rotted by, rejuvenation, 530
papaya fruit rot and stem canker due to, 314
phaseoli, on Lima bean in Colo., 436
Piesma cinerea, as vector of sugar beet savoy, 328
Pigweed bug, as vector of sugar beet savoy, 328
PINCKARD, J. A., 467, 505, 512, (648)
Pine, Australian, rejuvenation of root-rotted, by soil-banking method, 532
red- (see Pinus resinosa)
western yellow- (see Pinus ponderosa)
Pinus spp., Diplodia epidemic in, 16
Peridermium on northern hard-, life cycle, histology and physiology, 785
ponderosa, dwarf mistletoe on, behavior, 21
western red rot, general study, 20
resinosa, damping-off, environal factors, 15
PIRONE, P. P., (1076)
Pitting, of pear fruits, boron-induced, 1086
PLAKIDAS, A. G., (631)
Plant beds, chloropicrin as disinfectant for, 1034
Plant sciences, history of, book review, 916
Plants, breeding, book review, 915
culture, water vapor method, 623
in sunlight under controlled temp., 467
cytoplasm of cells of, book review, 646
tropical and subtropical, Clitocybe root rot, 487
Plasmodiophora brassicae, on cabbage, systemic invasion, 18
host reactions vs. nutrients, 18
physiologic races, 18
Plasmodiophorales, monograph on, review, 1098
Pleospora herbarum, on red clover seed, 738
Pleurotus ostreatus, spore longevity, 1097
Plum, Clitocybe root rot, 494
Poa pratensis, Cercosporella (new) eye spot, 737
Helminthosporium leaf spot, 737
Septoria leaf spot, 737
Podocarpus elongata, crown gall (exp.) on, 1005
Poinsettia, bacterial disease (new), 1076
poinsettiae (Phytomonas), 1080
Polyporus spp., spore longevity, 1097
ellisianus, on ponderosa pine, general study, 20
Pome fruits, rough bark virus diseases, 435
PONTIS, RAFAEL E., 642
Populus tremuloides, Fomes igniarius on, sporophore age vs. tube layers, 176
Portraits, Arthur, Joseph Charles, 834
Butler, Ormund Rourke, 448
Jaggar, Ivan Claude, 549
Miles, Lee Ellis, 268
Whipple, Otis Chester, 356
Portulaca grandiflora, root knot on, pathogenesis, 582
oleracea, tobacco broad ring spot (exp.) on, 610
Potato, bacterial ring rot, classification and nomenclature of pathogen, 439
varietal reactions to, 813
late blight, control by silver sprays, 1028
Rhizoctonia in soil of fields of, prevalence vs. environment, 972
Rhizoctonia sclerotia on, sterilization by acidulated $HgCl_2$, 3

Rhizoctonia solani on, temp. relations of sclerotial isolates, 731
Rhizoctonia stem-end rot, 727
ring spot, comparisons, 1045
root knot distribution on high ridge plantings of, 650
scab, varietal reactions to, 965
yellow dwarf, field spread, differential equation for, 799, 802
Pratylenchus pratensis, control by fumigation, 22
PRESLEY, JOHN T., 97
PRICE, CHARLES, (827)
Protein, in plants, mosaic effects on, 858
virus-, assay methods, chemical, 433
serological, 618
Prunus spp., Coryneum shot-hole disease, hosts and growth-temp. relations, 221
serrulata var. kwansan, rough bark virus of (new), 428
Prunus virus-9 (new), flowering cherry rough bark due to, 430
Prunus virus 10 (new), cherry banded chlorosis due to, 635
PRYOR, DEAN E., 886, 995
Pseudococcus citri, Cephalosporium dieffenbachiae infection via feeding injuries of, 173
Pseudomonas (see also Bacterium; Phytomonas; Xanthomonas)
spp., phytopathogenic forms, lipolytic activities, taxonomic significance, 601
Pseudoperonospora humuli, on hops, degrees of infection by, determination method, 331
fungicidal control, spreaders for, 820
Pseudotsuga taxifolia, Diplodia epidemic in, 16
Psidium spp., Clitocybe root rot, 493, 494
guajava, Elsinoë on, 1
Psorosis, citrus-, incubation period, factors influencing, 22
inoculum vs. symptoms, 22
transmission by bark grafting, 410
Puccinia spp., spore germination, humidity vs., 931
asparagi, eradicant spray trials against, 419
boutelouae, Aecidium gossypii as aecial stage, 97
coronata, on oats, resistance to physiologic races, genetic relations, 19
urediospore viability, as influenced by light and temp., 699
avenae, on oats, breeding for resistance, 100
graminis avenae, on oats, reactions of Anthony var. to, 1087
secalis, urediospore viability, as influenced by light and temp., 699
tritici, physiologic races, prevalence changes in U.S.A., 17
unusually virulent, 720
urediospore viability, as influenced by light and temp., 699
rubigo-vera tritici, urediospore viability, as influenced by light and temp., 699
triticina, on wheat, masking by high temp., 21
vexans, taxonomic status, 98
Pyrethrum, effect on effectiveness of Cu fungicides, 373
Pyronema confluens, effect on pathogenicity of Fusarium, 680
Pythium spp., crested wheatgrass seedling blight association, 2
on oats, as root parasite, and control, 19
on peas, 952
on sugar beet, control, 477
arrhenomanes, cereal and grass isolates, cross inoculations, 17
distribution and damage on cereals and grasses, 327
milo disease role, 640
in plant beds, chloropicrin as disinfectant for, 1034
debaryanum, flax injury by group of, 24
irregulare, on red pine seedlings, environal factors, 15

Quince, Phytophthora cactorum infection (exp.), 407

Radish, Fusarium yellows (new), 1031
RAND, FREDERICK, V., 344
RASMUSSEN, E. J., 15
Raspberry, anthracnose, lime-sulphur dormant spray for, 3
RAY, W. W., 233, 649
Red scale, citrus-, 187
REDDICK, DONALD, 549
REDDY, C. S., 23
REED, GEORGE M., 100
REED, H. S., (568), 916
Rejuvenation, of root-rotted trees and shrubs, 529
Report(s), American Phytopathological Society (and Divisions) (see under American . . .)
Research, methodology, book review, 185
Resistance, alfalfa, to Ascochyta black stem, 1056
to rust, 1048
apple, to fungus rots on blushed vs. green sides, physiology of, 239
barley, to loose smut, 451
bean, to bacterial halo blight, physiological type, 246
to powdery mildew, 828
to rust, 828
blueberry, to Physalospora cane canker, 1070
cantaloupe, to powdery mildew, 995
corn, to bacterial wilt, in dent inbreds according to age, 262
to Diplodia zeae, 16
cucumber, to mosaic virus, 773
to diseases, periodic reselection needed, 1090
oats, to crown rust, 19
to diseases, 100
to stem rust, 1087
pea, to Septoria leaf spot, 64
potato, to bacterial ring rot, 813
to scab, 965
rose, to diseases and injuries, 15
sorghums, to milo disease, 23
tobacco, to black root rot, 647
to mosaic, 858, 1022

tomato, to blossom-end rot, 214
to wilt, 24
watermelon, to Fusarium wilt, 181
Respiration, cellular, as influenced by tobacco mosaic virus, 288
Reviews, book-, breeding of plants, 915
cytoplasm of plant cells, 646
hunger signs in crops, 443
plant diseases, nature and prevention, 1098
plant sciences, history of, 916
Plasmodiophorales, 1098
research and statistical methodology, 185
wheat bunt, 646
Rhizobium leguminosarum, lipolytic activity, taxonomic significance, 602
Rhizoctonia spp., comparative study, 24
on cotton, injury to older plants, 641
seed- and soil-transmission and isolation and infection tests, 237
on flax, 24
pea root rot due to, control by seed treatment, 952
persistence in host vs. soil, 972
soil-borne, prevalence vs. environment, 972
on sugar beet, control, 477
variations in, 24
microsclerotia, hosts and comparisons, 24
solani, cotton seed treatment vs. soil infested with, 15
holly cuttings defoliated by, 906
hosts and root and stem rots due to, 24
on potato, stem-end rot due to, 727
sterilization of sclerotia by acidulated $HgCl_2$, 3
on red pine seedlings, environal factors, 15
sclerotial isolates, temp. relations of potato- and sugar beet-, 731
on subterranean clover seed, 739
Rhizopus spp., on cotton, dissemination, isolation and infection tests, 237
RHOADS, ARTHUR S., 410, 487, 529
RICE, W. N., (23)
Rice, Hypochnus banded sclerotial disease, 24
RICH, HERBERT, (23)
RICH, SAUL, (537)
RIKER, A. J., (15)
Rimocortius kwanzani n. gen. and sp., virus rough bark of flowering cherry, 430
Ring mosaic, tobacco, comparisons, 1045
Ring rot, potato bacterial-, 813
Ring spot, apricot-, virus etiology, 179
potato-, comparisons, 1045
tobacco-, comparisons, 1045
tobacco broad-, new virus, 605
tomato virus-, hosts and general study, 1037
ROBERTS, JOHN W., 335
RODENHISER, H. A., (117), 158
ROGERS, C. H., 23, (648)
Root diseases, chemotherapy by ammonia, 22
peach-, control by chemical soil treatments, 649
Root injury, flax, by Pythium, etc., 24
Root knot nematode (see Heterodera marioni)
Root rot(s), banana Clitocybe, 487
cereal and grass, 22
Clitocybe, of various host plants, 487
cotton Phymatotrichum, 4
milo-, causal factors, 640
pea-, 944
Phymatotrichum, 4, 23
Rhizoctonia, 24
tobacco black-, 647
of trees, rejuvenation, review of methods, 529
of trees and shrubs, rejuvenation by soil-banking, 529
wheat Fusarium, 670
Roots, examination of, water vapor culture method for, 623
Rosa setigera, as disease-resistance source, 15
Rose, Clitocybe root rot, 494
diseases, control of garden-, 15
mosaic, temp. effects on symptom expression, 321
ROSEN, H. R., 15
Rot(s), apple bitter-, 498
apple fungus-, 239
apple Phialophora, 1094
bacterial soft-, classification of pathogens, 18
cereal and grass stem- and root-, 22
corn bacterial stalk-, classification of pathogen, 18
corn Diplodia, 263
corn ear and stalk Diplodia, 130
of flax seed (mechanically injured), 733
heart- (see Heart rot)
loquat Phytophthora crown-, 404
milo root, crown and shoot, causal factors, 640
narcissus Fusarium basal-, 199
onion bacterial (new) bulb-, 143
papaya Phytophthora fruit-, 314
peach brown-, 498
ponderosa pine western red-, 20
potato bacterial ring-, 439
potato Rhizoctonia stem-end-, 727
Rhizoctonia stem- and root-, 24
Sclerotinia fructicola-induced, 635
sugar beet Rhizoctonia crown-, 731
tomato physiological blossom-end-, 214
Rotenone, effect on effectiveness of Cu fungicides, 373
ROTH, L. F., 15
Rough bark, flowering cherry virus (new), 428
fruit-tree virus group, 435
Rumex crispus, tobacco broad ring spot (exp.) on, 610
RUPERT, JOSEPH A., 1095
Russet, apple-, copper xanthates in control, 503
Rust, alfalfa Uromyces, 1048
asparagus Puccinia, 419
bean-, 19, 828
on Bouteloua, aecial stage of, 97
cereal-, 699
cotton-, Puccinia stage of, 97

flax-, 653
oats crown-, 19
oats stem-, 1087
Peridermium, on northern hard pines, 785
sunflower-, 19
wheat leaf-, 21
wheat stem-, 17, 712
Rye, Pythium arrhenomanes on, 328
RYKER, T. C., 16, 24

Salsify, Stemphylium leaf spot (new), general study, 150
SAMSON, R. W., 16, 1037
Sanoseed, sorghum kernel smut control by, 1091
Saperda tridentata, feeding technique for Ceratostomella spores, etc., 95
Sapodilla, Clitocybe root rot, 494
Savoy, sugar beet virus disease, distribution, hosts, and vectors, 328
Scab, apple-, 503, 853
of Eucalyptus spp., Coniothecium associated, 1
pear-, 357
potato Actinomyces, 965
scabies (Actinomyces), 965
SCHAAL, L. A., 965
SCHLICK, R. W., 24
Sciadopitys verticillata, crown gall (exp.) on, 1005
Sciences, botanical, history of, book review, 916
Sclerospora spp., comparisons, 212
macrospora, hosts, 869
life history, morphology, dissemination, and persistence, 872
on oats, first record for U. S. A., 868
noblei, on Sorghum plumosum, seasonal occurrence, symptoms and fungus development and emended characterization, 206
Sclerotia, Rhizoctonia, from potato and sugar beet, 731
production vs. environment, 972
Sclerotial disease, Hypochnus banded-, hosts and comparisons, 24
Sclerotinia fructicola, apothecia, first report for Wash. State, 635
on apples, susceptibility of blushed vs. green sides, 239
control, by Cu xanthates, 498
spore germination, humidity vs., 928
Sclerotium bataticola, on cotton, seed- and soil-transmission and isolation and infection tests, 237
on subterranean clover seed, 739
Scolytus multistriatus, feeding technique for Ceratostomella spores, 95
sulcatus, as vector of Dutch elm disease, 441
Seed, cotton, fuzzy and acid-delinted, depth of planting effects on, 649
regional test with reginned and acid-delinted, 648
Seed transmission of: asparagus bean mosaic, 520
bean fusarium yellows, 1013
cotton pathogens, 233
Stemphylium botryosum var. tragopogoni, 155
Seed treatments, cereal and vegetable, committee report on, 345
corn, 23
cotton, by dusts, with hormones alone and plus Ceresan and Spergon, 648
effects on emergence, diseases, and yields, 651
flax, fungicidal, 733
variable responses to, 2
ornamentals, fungicidal, 649
pea, for root rots, 944
peanut, effects on emergence, 649
sorghum, for kernel smut, 1091
sugar beet, for seedling diseases, 478, 480
by tetrachloro-para-benzoquinone, 4
tomato, injury as influenced by ratio of seed amount to solution volume, 525
vegetable, fungicidal, 649
Seedlings, culture in sunlight under controlled temp., 467
diseases of sugar beet-, control, 477
SEMENIUK, G., 16, 24
sepedonica (Phytomonas), 439, 813
sepedonicum (Corynebacterium), 441
Septoria apii, on celery, control by silver sprays, 1027
macropoda var. **septulata** n. comb., on Kentucky bluegrass, 737
pisi, on pea, varietal reactions to, 64
Sequoia spp., crown gall (exp.) on, 1005
Setaria spp., Pythium arrhenomanes on, 328
SHANDS, H. L., (21)
SHARVELLE, E. G., 944
SHAW, LUTHER, 649
SHEMA, B. F., (944)
SHENBERGER, L. C., (16)
SHIFRISS, OVED, 773
Shoot rot, milo-, causal factors, 640
Shot-hole disease, of Prunus spp., Coryneum beijerinckii causing, 221
Shrubs, Clitocybe root rot, 495
root-rotted, rejuvenation by soil-banking, 529
Silver, fungicidal (see under Fungicides)
SIMPSON, D. M., (648)
Sitanion spp., flag smuts on, 4
SKAPTASON, J. B., 439
SLAGG, C. M., 16, (19)
SMITH, A. L., 649
SMITH, CLAYTON O., 221, 1005
SMITH, DONALD J., (221)
SMUCKER, S. J., 441
Smut, barley-, Ustilago hordei × U. nigra, 637
barley covered-, 1015
barley loose, 431, 451
corn-, 554
flag-, or forage grasses, 4
head-, of grasses, 5
oats loose-, 100
Sorghastrum head-, Sphacelotheca sorghastri n. sp. causing, 544
sorghum kernel-, 1091
Snapdragon, virosis-like injury, peach aphid causing, 93

SNYDER, WILLIAM C., 518, 537, (1010), (1031)
Soils, banking in rejuvenation of root-rotted trees and shrubs, 529
effect on plant diseases in Southwest U. S. A., 2
fumigants, evaluating volatile, technique, 627
Fusarium oxysporum cubense in, as influenced by chemicals, 182
in mushroom beds, fungus control by chloropicrin, 978
physical condition, effect on sugar beet seedling diseases, 486
potting-, fumigation materials and methods, 22
Rhizoctonia-in, cotton seed treatment vs., 15
prevalence vs. environment, 972
root knot nematode populations in Calif., 650
in transmission of: cotton pathogens, 233
Stemphylium botryosum var. tragopogoni, 156
treatments, for peach root diseases, 649
in plant beds by chloropicrin, 1034
for sugar beet seedling diseases, 478
by urea and calcium cyanamid, 647
SOKOLOFF, V. P., 187
Solanum spp., Fusarium solani var. eumartii on, reactions compared, 914
tobacco broad ring spot (exp.) on, 610
tomato ring spot (exp.) on, 1042
Sorghastrum elliotii, in Piedmont, Va., 545
Sphacelotheca head smut (new) on, 544
nutans, Pythium arrhenomanes on, 328
Sorghum, kernel smut, control by new fungicides, 1091
leaf spots, 1
milo disease on, selection for resistance, 23
Pythium arrhenomanes from grasses and, cross inoculations, 17
wild Australian (see S. plumosum)
Sorghum plumosum, Sclerospora noblei on, seasonal occurrence, symptoms, and fungus development and characterization, 206
vulgare, Pythium arrhenomanes on, 328
Soybean, root knot on, varietal reactions, 650
Spergon, cotton seed treatment by, 648
as seed protectant, 4
for peas, 944
seed treatments on vegetables and ornamentals, 649
soil treatments by, for peach root diseases, 649
sorghum kernel smut control by, 1091
Sphacelia, Cerebella replaced by, 615
Sphaceloma, myrtaceous hosts, 1
Sphacelotheca **sorghastri** n. sp., on Sorghastrum elliottii, 545
Spinach, pea mottle (exp.) on, 106
tobacco broad ring spot (exp.) on, 609
Spores, fungus, dispersal mechanism in Peronospora, 505
germination, humidity vs., 921
temp. effects in presence of S and Cu, 394
wood-destroying Hymenomycetes, longevity, 1096
Sporotrichum carpogenum, reduction to synonymy, 1094
malorum, reduction to synonymy, 1094
Spotted wilt, tomato-, comparisons, 1044
SPRAGUE, RODERICK, 17, (327), 737
Sprayer, compressed air-, for laboratory studies, 822
Sprays (see also Fungicides)
injury by copper–, substitutes preventing, 1030
machinery for, priorities, War Emergency Committee report on, 918
supplements, adherence of fixed coppers vs., 953
Spreaders, for fungicides, on hops, 820
Squash, tobacco broad ring spot (exp.) on, 609
Staining, wood-, by Diplodia, 880
STAKMAN, E. C., 17, (720)
STANDRING, ELIZABETH T., (303)
STANTON, T. R., (100), 915
STARK, F. L., JR., (626)
STARR, MORTIMER P., 598, 1076
Statistics, methodology, book review, 185
Stellaria media, pea mottle (exp.) on, 106
Stemphylium spp., on red clover seed, 738
botryosum var. **tragopogoni** n. var., salsify leaf spot due to, general study, 154
Stereum spp., spore longevity, 1096
Sterilization, soil, by urea and calcium cyanamid, 647
STEVENSON, F. J., (813), 965
stewarti (Xanthomonas), 263
Stipa comata, Pythium arrhenomanes on, 328
STODDARD, E. M., 17
Stomata, bacterial invasion, moisture effects, 379
Stone fruits, Coryneum shot-hole disease, hosts and growth-temp. relations, 221
rough bark virus diseases of, 435
Stony pit, pear virus-, comparisons, 1084
Strawberry, leaf roll, new virus disease, 631
Streak, pea-, complex nature of virus, 103
Stripe, barley-, 21, 431
Sugar beet, curly top virus, reactions of resistant vs. susceptible beans to strains, 911
downy mildew, epidemiology, temp. effects on, 827
pea mottle (exp.) on, 106
Rhizoctonia solani on, temp. relations of sclerotial isolates, 731
savoy virus disease, distribution, hosts and vectors, 328
seedling diseases, control, 477
Sugar cane, chlorotic streak, transmission by leaf hoppers, 99
vacuolar inclusions in, 3
Gleocercospora leaf spot, 1
Hypochnus banded sclerotial disease, 24
Sulphur, for onion bloat in muck soils, 257

SUNESON, C. A., 431
Sunflower, deficiency disease, vacuolar inclusions in, 578
rust, fungicide effects on, and factors influencing, 19
tobacco broad ring spot (exp.) on, 609
Susceptibility, apples, to fungus rots on blushed vs. green sides, physiology of, 239
Solanum spp., to Fusarium solani var. eumartii, 914
tobacco, to mosaic, 858
Sweet potato, Fusarium wilt, cross inoculations, 20, 685
Symptoms, mosaic, as influenced by temp., 321

tabacum (Bacterium), 1, 379
Tagetes erecta, tumors on, as influenced by chromosome-doubling chemicals, 26, 44
TAPKE, V. F., 1015
Taxonomy, of bacterial plant pathogens, 18
lipolytic activity role in, 598
Taxus spp., crown gall (exp.) on, 1005
TAYLOR, A. L., 650
Technique, breeding of plants, book review, 915
culture, of Corticium stevensii from sclerotia, 824
fungus-, mounting method for herbarium, 546
for small plants in sunlight under controlled temp., 467
water vapor method, for root examination, 623
culture media, aseptic handling, 636
differential, for variant fungus culture types, 272
spirit blue-cottonseed oil agar, lipolytic activity determined on, 598
disease attack, measuring method, 226
feeding-, for insect transmission work, 95
fumigation, of soils, 22
fungicides, assay, 3, 389
particle size, measuring, 388
fungus culture mounting method for herbarium, 546
humidity control for spore germination tests, 924
infection, degree determination scale for, in hops downy mildew, 331
male sterile barley for study of floral, 431
inoculation, for barley covered smut, 1015
for tobacco etch virus, 1058
for Uromyces striatus, 1049
lipolysis determination in bacteria, 598
research and statistical methodology, book review, 185
resistance, cantaloupe to powdery mildew, evaluation, 1003
root examination, water vapor culture method for, 623
settling and fractionation of dusts, laboratory apparatus for studying, 166
soil fumigants, evaluating volatile, 627
soil sterilization, by urea and calcium cyanamid, 647
sprayer, compressed air-, for laboratory studies, 822
virus protein assay, chemical method, 433
serological method, 618
Temperature, control technique for small-plant culture in sunlight, 467
effect on: spore germination in presence of S and Cu, 394
symptom expression in lettuce big-vein, 542
symptom expression in mosaic, 321
wheat leaf rust masked by high, 21
TERVET, IAN W., 1087
Tetrachloro-para-benzoquinone, as seed protectant, 4
THATCHER, F. S., 727
Thiamin, effect on cantaloupe powdery mildew, 886
Thielaviopsis basicola, on tobacco, breeding for resistance, 647
Thiosan, sorghum kernel smut control by, 1091
THOMAS, H. EARL, (321), 435
THOMPSON, ROSS C., 542
THORNBERRY, H. H., (419)
THORNE, GERALD, 650
Thuja occidentalis, blue stain of, fungus (unidentified)-induced, 735
Tilletia spp., on wheat, book review, 646
levis, physiologic races, new, 117
variability in reaction of differential wheat vars. to, 158
tritici, physiologic races, new, 117
variability in reaction of differential wheat vars. to, 158
TIMS, E. C., 17, 824
"Tip-over" disease, eggplant Phomopsis (Diaporthe), 540
Titaeospora andropogonis, sorghum leaf spot due to, 1
Tobacco, bacterial blackfire, overwintering in soil, 2
Bacterium angulatum leaf invasion, moisture effects, 379
Bacterium tabacum leaf invasion, moisture effects, 379
black root rot, breeding for resistance, 647
broad ring spot (new) on, 605
downy mildew, spore dispersal mechanism, 505
etch, virus, host sources, 1063
quantitative measurement, 1058
flue-cured and Burley types, cold injury of seedlings, 512
Fusarium wilt, cross inoculations, 20, 689, 693
mosaic, control, breeding for, 1022
effect on: enzyme activity in resistant vs. susceptible vars., 863
protein content of resistant vs. susceptible vars., 858
tomato strain, 986
virus, effect on cellular respiration, 288

virus protein assay, chemical method, 433
serological method, 618
ring mosaic, comparisons, 1045
ring spot, comparisons, 1045
respiration of normal, mechanism, 290
tomato ring-spot (exp.) on, 1039
water-soaking of leaves, K–deficiency effects on, 1
Toluene, eradicant fungicidal action of derivative, 849
Tomato (see also Lycopersicon spp.)
Alternaria on, factors influencing seedling infection, 399
rapid method of measuring infection, 226
seed transmission, importance, 16
blossom-end rot (physiological), varietal resistance to, 214
curly top on, virus strains vs. acquired immunity, 18
fruits, genetic characters resembling disease, 436
Fusarium wilt, cross inoculations, 20, 694
pathogenicity vs. pH variability of fungus strains, 271
seed transmission, importance, 16
gall formation on excised roots, by crown gall bacterial extract vs., indole-3-acetic acid, 762
leaf mold, new strain of pathogen, 902
ring-spot virus disease, hosts and general study, 1037
root knot distribution on high ridge plantings, 650
seed, disinfection injury as influenced by ratio of seed amount to solution volume, 525
spotted wilt, comparisons, 1044
tobacco broad ring spot (exp.) on, 610
wilt-resistant, with new genetic characters, 24
TOMPKINS, C. M., (93)
Torreya californica, crown gall (exp.) on, 1005
Toxins, of plant diseases, antidoting, 22
Tragopogon spp., Stemphylium leaf spot (new), 150
Trametes pini, spore longevity, 1097
Trees, fruit-, Clitocybe root rot, 495
transmissible rough bark diseases, 435
ornamental-, Clitocybe root rot, 495
root-rotted, rejuvenation, review of methods, 529
by soil-banking, 529
tropical and subtropical, Clitocybe root rot, 495
wood-destroying fungi, spore longevity, 1096
Trichoderma lignorum, effect on pathogenicity of Fusarium, 680
Trifolium incarnatum, tobacco broad ring spot (exp.) on, 609
pratense, pathogenic fungi on seed, 738
powdery mildew, Cu spray effects on, and factors influencing, 19
repens, mosaic, complex nature, hosts and general study, 103
subterraneum, pathogenic fungi on seed, 739
Trifolium virus-1, complex nature, hosts and general study, 103
Triticum spp., Pythium arrhenomanes on, 328
Tulip, Botrytis "fire," control by silver sprays, 1028
tumefaciens (Bacterium), 35
tumefaciens (Phytomonas), 762, 826, 1005
Tumors, plant-, formation by crown gall bacterial extract vs. indole-3-acetic acid, 762
as influenced by chromosome-doubling chemicals, 25
Tung tree, Corticium stevensii on, culture from sclerotia, 824
Diplodia natalensis on, 880
TURNER, NEELY, (166)

Ugni lanceolata, Elsinoë on, 1
UNION OF AMERICAN BIOLOGICAL SOCIETIES, committee report on, 344
Urea, chemotherapy of plant diseases by, 22
soil sterilization by, 647
Urocystis agropyri, on forage grasses, 4
relation to U. tritici, 4
occulta, differentiation, 4
on forage grasses, 4
tritici, on forage grasses, 4
relation to U. agropyri, 4
Uromyces striatus, alfalfa sp. and var. resistance to, 1048
inoculation methods, 1049
Ustilago spp., spore germination, humidity vs., 933
avenae, on oats, susceptibility of Lee × Victoria selections to, 100
bullata, control by fungicidal dusts, 5
hordei, buff-colored smut from U. nigra cross with, sex and pathogenicity inheritance in, 637
inoculation methods, 1015
levis, on oats, breeding for resistance, 100
nigra, buff-colored smut from U. hordei cross with, sex and pathogenicity inheritance in, 637
nuda, floral infection, male sterile barley for study of, 431
resistance to, inheritance, 451
zeae, growth types as influenced by environal and genetic factors, 554

Vaccinium spp., Physalospora cane canker of, 1068
Vacuoles, coacervate formation in, 568
VALLEAU, W. D., (2), (379), 1022, 1098
VALLEGA, J., (720)
VANTERPOOL, T. C., 327
Variability, in fungi, heterocaryosis vs., 639
Vegetables, seed treatments, 649
committee report on, 345
Venturia inaequalis, control by Cu xanthates, 503
eradicant fungicidal effects on ascospores, 853

spore germination, humidity vs., 928
pirina, heterothallism and variability in, 357
VERRALL, A. F., 880
Verticillium, on maple, chemotherapy, 22
malthousei, in mushroom casing soil, control by chloropicrin, 978
Vigna sesquipedalis, mosaic, aphid and seed transmission and general study, 518
Vines, Clitocybe root rot, 495
Virginia creeper, Elsinoë anthracnose, 424
Virosis, snapdragon injury resembling, aphid causing, 93
Viruses (plant—special and general data)
effect on: cellular respiration, 288
protein in plants, 858
immunity, acquired, against curly top, 24
in tomato from curly top, 18
inactivation by chemotherapy in peach X-disease, 17
inoculation technique, 1058
protein of, assay methods, chemical, 433
serological, 618
shock effects in peach mosaic group, 827
temp. effects on symptom expression in mosaic, 321
yellows-type, 799
Viruses (by plant hosts; for detailed data see under hosts and specific diseases)
alfalfa, mosaic, 537
apricot ring spot, 179
asparagus-bean, mosaic, 518
bean, mosaic, virus-4 (new), 438
Bromus inermis (new) yellow-, 331
celery, mosaic, alfalfa mosaic virus causing, 537
cherry, banded chlorosis (new), 634
leaf rasp, 333
yellows, 15
on peach, 712
citrus, psorosis, 22, 410
cucumber, mosaic, 773
flowering cherry rough bark (new), 428
fruit-tree rough-bark group, 435
lettuce, big-vein (?), 542
pea, mottle, 106
streak, 103
wilt, 106
peach, 827
cherry yellows on, 712
mosaic, 1
mosaic group, 827
necrotic spot, 2
X-disease, 17
pear, stony pit, 1084
potato, ring spot, 1045
yellow dwarf, 799
Prunus rough bark (new), 428
rose, mosaic, 321
strawberry, leaf roll, 631
sugar beet, curly top, 6, 911
savoy, 328
sugar cane, chlorotic streak, 3, 99
tobacco, broad ring spot (new), 605
curly top, 24
etch, 1058
mosaic, 288, 433, 458, 618, 1022
tomato strain, 986
ring mosaic, 1045
ring spot, 1045
tomato, curly top, 18, 24
ring-spot, 1037
spotted wilt, 1044
tobacco mosaic strain in, 986
white clover, mosaic, 103
Vitamins, B_1, effect on cantaloupe powdery mildew, 886

WAGNER, F. A., (23)
WALDEE, E. L., 18
WALKER, J. C., 18, 355
WALLACE, J. M., 18, 24, (828)
War Emergency Committee, equipment priorities report, 918
Fungicide Subcommittee report, 919
objectives, 917
Watermelon, Fusarium wilt, cross inoculations, 20, 694
resistance of F_1 hybrids, 181
Phytophthora cactorum infection (exp.), 407
Water-soaking, of tobacco leaves, effect on bacterial invasion, 379
K-deficieny effects on, 1
Water vapor, culture method for root examination, 623
WEETMAN, L. M., 15, 19
Weevils, as vectors of root and stem rots of cereals and grasses, 22
WEISS, FREEMAN, 199, 1098
WELCH, AARON, 19, 181
WELLMAN, FREDERICK L., 271
WERNHAM, C. C., 1093
WESTON, WILLIAM H., 206
Wheat, bunt, book review, 646
physiologic races, new, 117
variability in reaction of differential varieties to, 158
downy mildew, symptoms, 871
leaf rust, masking by high temp., 21
root rot, Fusarium spp., associated, pathogenicity, 670
stem rust, physiologic races, prevalence changes in U. S. A., 17
unusually virulent, 720
Wheatgrass, crested (see Agropyron cristatum)
Whipple, Otis Chester, biographical sketch and bibliography, 355
necrology, 353
portrait, 356
WHITAKER, THOMAS W., (995)
"White bud," of tobacco seedlings, cold injury causing, 512
White clover mosaic, complex nature, hosts and general study, 103
WILCOX, MARGUERITE S., (1068)
Wildfire, tobacco bacterial-, 1
WILLIAMSON, C. E., (199), (1026)
Willow, blight, fungi associated, in W. Va., 1095
WILSON, WILLIAM E., 130

Wilt, banana Fusarium, 182
carnation bacterial (new), 141
cassava bacterial–, 146
corn bacterial-, on dent inbreds, 262
Fusarium spp. causing, 20
cross inoculations, 685
Fusarium solani var. eumartii-induced, 914
pea virus, hosts, 106
tomato Fusarium, 16, 271
watermelon Fusarium, 181
WINFIELD, RAY W., 15
Wood, Diplodia staining of, source of inoculum, 880
Hymenomycetes destroying, spore longevity, 1096
WOODS, MARK W., 288
WRIGHT, ERNEST, (16), 19

Xanthomonas (see also Bacterium; Phytomonas; Pseudomonas)
spp., lipolytic activities, taxonomic significance, 600
stewarti, on corn, late leaf infection, effect on Diplodia stalk rot, 263
in dent corn inbreds, reactions according to age, 262
X-disease, peach, control by breeding, limitations, 827
virus, inactivation in vivo by chemotherapy, 17
Xylaria longeana, ginkgo seed and branch infection by, 91

YARWOOD, C. E., 19
"Yellow bud," tobacco seedling-, cold injury causing, 512
Yellow dwarf, potato-, field spread, differential equation for, 799, 802
Yellow-red virosis, peach- (see X-disease, peach-)
Yellows, aster-, field spread, differential equation for, 799, 803
bean Fusarium, 1010
cherry-, indexing on peach, 712
radish Fusarium, 1033
sour cherry-, cross budding to peach, 15
Yellows-type viruses, field spread, differential equation for, 799
YOUNG, H. C., JR., (944)
YOUNG, P. A., 24, 214, 436
YOUNG, V. H., 651

ZAUMEYER, W. J., 64, (438), 438
ZELLER, S. M., (428), 634
ZENTMYER, GEORGE A., 20, (22)
Zinc deficiency, citrus-, vacuolar inclusions in, 572
Zinnia elegans, tobacco broad ring spot (exp.) on, 609
Zoysia japonica, Claviceps yanagawaensis in seed of, and seed treatment for, 809
ZUNDEL, GEORGE L., (544)

ERRATA, VOLUME XXXII[1]

Page 87, paragraph 5, last line, *read* plating *for* planting.

Page 307, paragraph 4, line 1, *read* mode *for* node.

Page 435, *transfer* line immediately following footnote 1 to *follow* line 4 of paragraph 2.

Page 518, *transfer* line 7 of paragraph 3 to *follow* line 3 of paragraph 4.

July number, Table of Contents, line 20, *read* Stark *for* Starr.

Page 655, *transfer* line 11 to line 10 of paragraph 2.

Page 742, paragraph 2, line 13, *read* transmission *for* subsequently.

[1] Any errata appearing in the December, 1942, number will be published in Vol. 33, No. 2.

SUPPLEMENTAL INDEX FOR VOLUME 32* †

Actinomyces sp., California citrus red scale infection by, 829
  scabies, potato pit scab due to, bacterial relations, 6
    soil fauna effects on, 6
Alfalfa, chloropicrin soil fumigation effects on, 13
  dwarf, relation to Pierce's grape disease, 8
    transmission by leaf hopper, 10
  witches' broom, virus (?) etiology and effects, 13
Alkyl-dithiocarbamates, metallic, as fungicides and phytocides, 6
Alternaria radicina, carrot storage disease due to, control, 830
  solani, resistance of So. American Lycopersicons to, 12
    on tomato, control, by copper dusts, factors influencing, 8
      flea bettle control improving, 8
AMERICAN PHYTOPATHOLOGICAL SOCIETY, War Emergency Committee, statement and organization, 831
AMES, RALPH W., (829)
amylovorus (Bacillus), 12
ANDERSON, E. G., (13)
angulatum (Bacterium), 1, 2
Annelids, potato pit scab role, 6
Antagonisms, fungus-, Pythium by Aspergillus, 9
  Pythium by Trichoderma, 9
Aonidiella aurantii, mass infection with bacteria, 829
Aphids, on cantaloupe, breeding for resistance to, 10
Apple, metallic alkyl-dithiocarbamates as fungicides for, 6
  premature drop, sprays preventing, compatibility with other sprays, 11
aroideae (Bacillus), 12
Aspergillus niger, effect on Pythium infection of corn, 9

Bacillus spp., phytopathogenic, nitrogen sources, 12
  "C," California citrus red scale infection by, 829
Barbarea vulgaris, potato yellow dwarf on, 7
Barley, chloropicrin soil fumigation effects on, 13
  loose smut, intermediate form as influenced by temp. and moisture, 11
Bean, Rhizoctonia isolates from, pathogenicity and cross inoculations, 14
  rust, bordeaux fungicidal action, mechanism, 830
BENNETT, C. W., 826
Big vein, lettuce-, soil moisture relations, 829
Biological control of: California citrus red scale by bacterial infection, 829
  mealy bugs by fungus parasite, 7
  Pythium infection of corn, 9
BITANCOURT, A. A., 827
Blight, chestnut, 7
  oats bacterial halo-, 12
  sorghum seedling-, causes in Okla., 9
  stone fruit Coryneum, 827
  tomato early-, 8
  tomato leaf-, 12
BLODGETT, EARLE C., 827
Bordeaux mixture (see under Fungicides)
Botrytis cinerea, carrot storage rot due to, control, 830
Breeding, cantaloupe, for resistance to diseases and pests, 10
  cucumber, for mosaic resistance, 782
  oats, for bacterial halo blight resistance, 12
  sugar beet, for curly top resistance, 828
  tomato, for leaf blight resistance, 12
Bunt, wheat-, 9

Cantaloupe, diseases and pests, breeding for resistance to, 10
  downy mildew, breeding for resistance to, 10
  powdery mildew, resistance, assay method, 14
  strains, powdery mildew reactions in greenhouse vs. field, 14
Capsella bursa-pastoris, potato yellow dwarf on, 7
Carneocephala spp., as vectors of: alfalfa dwarf, 10
    Pierce's disease of grape, 8
carotovorus (Bacillus), 12
Carrot, root scab, Phytomonas carotae causing, 826
  storage diseases, causes and control, 830
CARSNER, EUBANKS, 827
Cauliflower, Rhizoctonia isolates from, pathogenicity and cross inoculations, 14
Cherry, Capulin, Elsinoë (new) on, 11
  choke-, Sphaceloma on, 11
  metallic alkyl-dithiocarbamates as fungicides for, 6
  prune-dwarf inoculations negative on, 746
Chestnut, blight, behavior in Calif., 7
Chloropicrin, soil fumigation by, effect on crops, 13
Chlorotic streak, sugar cane-, hot water treatment for red rot and, 5
Citrus, California red scale, mass infection by bacteria, 829

* A package of cards bearing the following index entries for volume 32 was inadvertently mislaid and only recently recovered. These entries are therefore here published as a supplemental index for last year's volume, with regrets for the delay and for the inconvenience to others thus occasioned.—FREDERICK V. RAND.

† This portion of the index may be removed and bound with the 1942 index.

psorosis, distribution of cases in orchards, statistical study, 827
Clubroot, of crucifers, 9
Colletotrichum falcatum, on sugar cane, hot water treatment effects on host and fungus, 5
Copper, fungicidal (see under Fungicides)
Corn, Pythium graminicolum on, seedling response and factors influencing, 9
smut, adaptation and environal "carry over" effects in Ustilago, 14
coronofaciens (Pseudomonas), 12
Coryneum beijerinckii, on stone fruits, hosts and injuries, 827
Cotton, Thielaviopsis root rot, general study, 752
Crown gall, on tomato, development, vitamin B_1 role, 8
Crucifers, clubroot, mustard oil effects on spores of pathogen, 9
Cucumber, eggplant "yellows" transmitted to, 10
Curly top, sugar beet-, breeding for resistance to, 828
virus, concentration, factors influencing, 6
longevity in dried tissue, 826

Damping-off, corn-, 9
DIAMOND, ALBERT E., (10)
Diaphania spp., on cantaloupe, breeding for resistance to, 10
Diluents, fungicidal (see under Fungicides)
3,5-Dinitro-o-cresol, Sclerotinia growth inhibition by, 10
Diplodia zeae, effect on Pythium infection of corn, 9
spores, production and germination in culture, 12
Distribution of: Endothia parasitica, 7
prune dwarf virus, 741
Dithiocarbamates, metallic alkyl-, as fungicides and phytocides, 6
Draeculacephala spp., as vectors of: alfalfa dwarf, 10
Pierce's grape disease, 8
DUGGAR, B. M., (8)
Dusts, fungicidal (see under Fungicides)
Dwarf disease, alfalfa-, relation to Pierce's grape disease, 8
transmission by leaf hoppers, 10

Eggplant, "yellows," virus transmission, hosts and properties, 10
Elsinoë, **n. sp.**, on Prunus capuli, 11
Endosclerotium **pseudococcia** n. sp., mealy bug control by, 7
Endothia parasitica, on chestnut, behavior in Calif., 7
Erwinia spp., nitrogen sources for, 12
Erysiphe cichoracearum, on cantaloupe, breeding for resistance to, 10
polygoni, perithecia resembling Microsphaera, 828
FAWCETT, H. S., (827)
Flax, chloropicrin soil fumigation effects on, 13
rust, pathogenicity inheritance in physiologic-race crosses, 5
Flea beetles, on tomato, control improving early-blight control, 8
FORBES, I. L., 5
FRANCIS, THOMAS, JR., (762)
FRAZIER, N. W., (8), (10)
FRIEDMAN, B. A., 762
Fruit drop, sprays preventing premature apple-, compatibility with other sprays, 11
Fungi, California citrus red scale infection by, 829
Fungicidal action, lime and host-leaf role on bordeaux-, 830
Fungicides, apple-, compatibility with premature drop-preventive sprays, 11
assay, by dosage-for-equal-control, 10
copper-, bordeaux, fungicidal action vs. lime and host leaves, 830
compatibility of diluent dusts with and without Ca arsenate, 6
dusts, factors influencing performance, 8
copper-derris, for tomato early blight-flea beetle control, 8
diluents, performance, properties and factors influencing, 13

Gases, natural illuminating effect on plants, 829
GIDDINGS, N. J., 6
GOLDSWORTHY, M. C., 6
Grape, Pierce's disease, transmission by leaf hoppers, 8
Greenhouse pests, mealy bugs, control by fungus parasite, 7
Growth substances, as fruit drop-preventive sprays, compatibility with other sprays, 11

HANSING, E. D., 7
HARRAR, J. G., 7
HARRIS, M. R., 7
HEALD, F. D., 13
Helminthosporium sativum, effect on Pythium infection of corn, 9
HENRY, BERCH W., 8
HEUBERGER, JOHN W., 8
HEWITT, WM. B., 8, (10)
HILDEBRAND, E. M., 741
HO, WEN-CHUN, 9
HOFFMASTER, DONALD E., 9
HOLTON, C. S., 9
HOOKER, W. J., 9
HOPPERSTEAD, S. L., (6)
Hops, downy mildew, control by fungicides on string supports, 830
HORSFALL, JAMES G., 10
HOUSTON, BYRON R., (8), 10
HOYMAN, WM. G., 10

Immunity, virus-, negative in sugar cane mosaic, 5
Inheritance, fungus-, in Melampsora, 5
in Tilletia, 9
Insects as vectors, alfalfa dwarf, by leaf hoppers, 10
Pierce's grape disease, by leaf hoppers, 8
prune dwarf, by aphids (?), 742
IVANOFF, S. S., 10

JENKINS, ANNA E., 11
JOSEPHSON, L. M., 11

KADOW, K. J., 11
Kalanchoe diagremontiana, potato yellow dwarf on, 7
KENT, G. C., 12
KING, C. J., 752
KINGSOLVER, C. H., 12
KLOTZ, L. J., (829)
KOEPPER, JAMES M., (9)

Leaf hoppers, as vectors of alfalfa dwarf, 10
Leaf spot, on Prunus capuli, Elsinoë causing, 11
Lettuce, big vein disease, soil moisture relations, 829
Lime, fungicidal role in bordeaux, 830
LOCKE, S. B., 12
LOEGERING, W. Q., 12
Lycopersicon spp., leaf blight resistance of So. American, 12

MCKELVEY, J. J., JR., (7)
MCLAUGHLIN, J. HARVEY, 13
Malachite green, Sclerotinia growth inhibition by, 10
Mealy bugs, control by fungus parasite, 7
Medicago lupulina, potato yellow dwarf in, 7
MELHUS, I. E., (13)
MENZIES, J. D., 13
Mildew, cantaloupe downy-, 10
cantaloupe powdery-, 10, 14
hops downy-, 830
MILLS, P. J., (5)
Mites, potato pit scab role, 6
MOORE, M. B., 13
Mosaic, sugar cane, "intermediate" form, identity, 5
MURPHY, ALBERT M., (828)
Mustard oils, effect on Plasmodiophora spore germination, 9
MYERS, C. H., (773)

Naphthaleneacetic acid, as fruit drop-preventive, compatibility with other sprays, 11
Nematodes, potato pit scab role, 6
NIKITIN, A. A., 13
Nitrogen, sources for phytopathogenic peritrichous bacteria, 12

Oats, bacterial halo blight, reactions of vars. and selections, 12
chloropicrin soil fumigation effects on, 13
Orchard pests, mealy bugs, control by fungus parasite, 7
OWEN, F. V., 828

Pathogenicity, inheritance in Melampsora, 5
in Tilletia, 9
Pathogens, peritrichous bacterial plant-, nitrogen sources for, 12
Peach, prune dwarf (exp.) on, 747
rosette-mosaic, prune dwarf relation to, 750
Peronoplasmopara cubensis, on cantaloupe, breeding for resistance to, 10
PERSON, L. H., 14
PETERSON, A. M., (6)
PETTY, MILTON A., 14
Physiologic races of: Puccinia graminis tritici, 12
Tilletia tritici, 9
Ustilago medians, 11
Ustilago tritici, 13
Phytomonas tumefaciens, in tomato, as influenced by vitamin B_1, 8
phytophthorus (Bacillus), 12
Pierce's disease, of grape, transmission by leaf hopper, 8
Plants, gas (natural illuminating), effects on, 829
Plasmodiophora brassicae, germination of resting spores, mustard-oil effects on, 9
Plum, prune dwarf (exp.) on, 743
Potato, pit scab, bacterial relations, 6
soil fauna effects on, 6
Rhizoctonia isolates from, pathogenicity and cross inoculations, 14
yellow dwarf, control methods, 7
hosts (new), 7
PRESLEY, J. T., (752)
Prune dwarf, distribution, hosts, symptoms, transmission and relationships, 741
Prunus spp., Coryneum blight, hosts and injuries, 827
prune dwarf virus in, general study, 742
capuli, Elsinoë (new) on, 11
PRYOR, DEAN E., 14, 829
Pseudococcus spp., control by fungus parasite, 7
Pseudomonas coronofaciens, in oats, reactions of vars. and selections, 12
Pseudoperonospora humuli, on hops, control by fungicides on string supports, 830
Psorosis, citrus-, distribution of cases in orchards, statistical study, 827
Puccinia graminis tritici, race-15, biotypes within, 12
Pythium sp., in sorghum root-and-stalk-rot complex, 9
graminicolum, on corn, mixed infection, effect on seedling response, 9
seedling response and factors influencing, 9

Red scale, California citrus-, mass infection by bacteria, 829
Resistance, cantaloupe, to diseases and pests, 10
to powdery mildew, 14
corn, to Pythium graminicolum, 9
Lycopersicon spp., to leaf blights, 12
oats, to bacterial halo blight, 12
sugar beet, to curly top, 828
Rhizoctonia spp., isolates from various hosts, pathogenicity and cross inoculations, 14
solani, effect on Pythium infection of corn, 9
RIKER, A. J., (8)
ROBERTS, CATHERINE, 829

Root-and-stalk-rot complex, sorghum-, 9
Root rot, carrot storage-, causes and control, 830
cotton Thielaviopsis, 752
Root scab, carrot bacterial, 826
Rosette-mosaic, peach-, prune dwarf relation to, 750
Rot, sorghum root-and-stalk-, 9
sugar cane red-, 5
Rust, bean-, 830
flax-, 5
wheat stem-, 12

salicis (Bacillus), 12
Scab, carrot bacterial root-, 826
potato pit-, 6
Scale, California citrus red-, mass infection by bacteria, 829
Sclerotinia sclerotiorum, growth inhibition by chemicals, 10
Sclerotium bataticola, in sorghum root-and-stalk-rot complex, 9
Septoria lycopersici, resistance of So. Amer. Lycopersicons to, 12
SMITH, M. A., (6)
Smut, barley loose-, intermediate form, 11
corn Ustilago, 14
wheat loose-, 13
Soils, chloropicrin fumigation, effects on crops, 13
microfauna, effects on potato pit scab, 6
SOKOLOFF, V. P., 829
SOLHEIM, W. G., 829
Sorghum, charcoal rot, Sclerotium bataticola associated, 9
root-and-stalk-rot complex, causes in Okla., 9
Sphaceloma sp., on choke cherry, 11
Sprays, fruit drop-preventive for apple, compatibility with other sprays, 11
STAKMAN, E. C., 12
Stewart's disease, of corn, on dent inbreds, 262
Stone fruits, Coryneum blight hosts and injuries, 827
Sugar beet, chloropicrin soil fumigation effects on, 13
curly top, breeding for resistance to, 828
virus, concentration, factors influencing, 6
longevity in dried tissue, 826
Rhizoctonia isolates from, pathogenicity and cross inoculations, 14
Sugar cane, chlorotic streak, hot water treatment for red rot and, 5
hot water treatment effects on, 5
mosaic, "intermediate" form, identity, 5

tabacum (Bacterium), 1
Taphrina deformans, Torulopsis pulcherrima compared in culture, 829
Technique, culture-, for Diplodia zeae, 12
fungicide assay, by dosage-for-equal-control, 10
resistance, assay in cantaloupe powdery mildew, 14
Thielaviopsis basicola, cotton root rot due to, general study, 752
on tobacco vs. cotton, 760
Tilletia tritici, pathogenicity inheritance in race hybrids, 9
Tobacco, Thielaviopsis basicola on cotton vs., 760
TOLMAN, BION, (828)
Tomato, crown gall on, as influenced by vitamin B_1, 8
early blight, control, by copper dusts, factors influencing, 8
flea beetle control improving, 8
leaf blights, breeding for resistance to, 12
Torulopsis pulcherrima, Taphrina deformans compared in culture, 829
tracheiphilus (Bacillus), 12
Trichoderma lignorum, effect on Pythium infection of corn, 9
Trifolium spp., potato yellow dwarf susceptibility of vars., 7
tumefaciens (Phytomonas), 8, 826

Ustilago medians, on barley, as influenced by temp. and moisture, 11
physiological races, 11
tritici, physiologic races, 13
zeae, adaptation (physical and chemical) and environal "carry over" in, 14

VIRGIN, W. J., 830
Viruses, alfalfa, dwarf, 8, 10
witches' broom (?), 13
aster, yellows, 799
citrus, psorosis, 827
concentration in host, factors influencing, 6
eggplant, "yellows," 10
grape, Pierce's disease, 8
lettuce, big vein, 829
peach, rosette-mosaic, 750
potato, yellow dwarf, 7
prune, dwarf, 741
sugar beet, curly top, 826, 828
sugar cane, chlorotic streak, 5
mosaic, immunity negative in, 5
"intermediate" form, 5
Vitamin B_1, in crown gall development, 8

War Emergency Committee, of Amer. Phytopath. Soc., statement and organization, 831
Wheat, bunt pathogenicity, inheritance in race hybrids, 9
chloropicrin soil fumigation effects on, 13
loose smut, physiologic races, 13
stem rust, biotypes in race 15, 12
WHITAKER, THOMAS W., 14
Witches' broom, alfalfa-, virus (?) etiology and effects, 13

YARWOOD, C. E., 830
Yellow dwarf, potato-, control methods, 7
hosts (new), 7
"Yellows," eggplant-, virus transmission, hosts and properties, 10